

Safety Data Sheet ACIDFOAM



Safety Data Sheet dated 26/1/2015, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification
Trade name: ACIDFOAM
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Detergent for hard surfaces.
Uses advised against:
Do not use in combination with other products.
- 1.3. Details of the supplier of the safety data sheet
Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio
15060 Borghetto Borbera (AL) Italia
Tel. +39 0143 631.1
- Competent person responsible for the safety data sheet:
regulatory.affairs@sutter.it
- 1.4. Emergency telephone number
+39 0143 631.1

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:
Properties / Symbols:
 C Corrosive
- R Phrases:
R35 Causes severe burns.
- EC regulation criteria 1272/2008 (CLP)
 Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- Adverse physicochemical, human health and environmental effects:
No other hazards
- 2.2. Label elements
Symbols:



- Danger
- Hazard statements:
H314 Causes severe skin burns and eye damage.
- Precautionary statements:
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 Wear eye protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.
P501 Dispose of contents/container in accordance with applicable regulations.

Safety Data Sheet

ACIDFOAM

Special Provisions:
None

Product contents:
amphoteric surfactants, non-ionic surfactants < 5 %
Special provisions according to Annex XVII of REACH and subsequent amendments:
None
2.3. Other hazards
vPvB Substances: None - PBT Substances: None
Other Hazards:
No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

>= 5% - < 7% PHOSPHORIC ACID; ORTOPHOSPHORIC ACID

REACH No.: 01-2119485924-24, Index number: 015-011-00-6, CAS: 7664-38-2, EC: 231-633-2
C; R34

- ⚠ 2.16/1 Met. Corr. 1 H290
- ⚠ 3.2/1B Skin Corr. 1B H314
- ⚠ 3.3/1 Eye Dam. 1 H318

>= 1% - < 3% ALKYL POLYGLUCOSIDE

REACH No.: 01-2119488530-36, CAS: 68515-73-1, EC: 500-220-1
Xi; R41

- ⚠ 3.3/1 Eye Dam. 1 H318

>= 0.25% - < 0.5% C12-14 ALKYLDIMETHYLAMINES, N-OXIDES

REACH No.: 01-2119490061-47, CAS: 308062-28-4, EC: 931-292-6
Xn,Xi,N; R22-38-41-50

- ⚠ 3.1/4/Oral Acute Tox. 4 H302
- ⚠ 3.3/1 Eye Dam. 1 H318
- ⚠ 3.2/2 Skin Irrit. 2 H315
- ⚠ 4.1/A1 Aquatic Acute 1 H400
- ⚠ 4.1/C2 Aquatic Chronic 2 H411

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.
OBTAIN IMMEDIATE MEDICAL ATTENTION.
Remove contaminated clothing immediately and dispose off safely.
After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.



Safety Data Sheet

ACIDFOAM

- 4.2. Most important symptoms and effects, both acute and delayed
None
- 4.3. Indication of any immediate medical attention and special treatment needed
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Treatment:
None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
Suitable extinguishing media:
Water.
Carbon dioxide (CO₂).
Extinguishing media which must not be used for safety reasons:
None in particular.
- 5.2. Special hazards arising from the substance or mixture
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities
Store in area dedicated to acid products, keep away from alkalis and chlorine based oxidants.
Store away from sunlight.
Keep away from food, drink and feed.
Incompatible materials:
Instructions as regards storage premises:
Adequately ventilated premises.

Safety Data Sheet

ACIDFOAM

7.3. Specific end use(s)
None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PHOSPHORIC ACID; ORTOPHOSPHORIC ACID - CAS: 7664-38-2

EU - LTE(8h): 1 mg/m³ - STE: 2 mg/m³ - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography)

ACGIH - LTE(8h): 1 mg/m³ - STE: 3 mg/m³ - Notes: URT, eye and skin irr

DNEL Exposure Limit Values

PHOSPHORIC ACID; ORTOPHOSPHORIC ACID - CAS: 7664-38-2

Worker Industry: 1 mg/m³ - Consumer: 0.73 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 2 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

ALKYL POLYGLUCOSIDE - CAS: 68515-73-1

Worker Industry: 595000 mg/kg - Consumer: 357000 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 420 mg/m³ - Consumer: 124 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 35.7 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Worker Industry: 11 mg/kg - Consumer: 5.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 15.5 mg/m³ - Consumer: 3.8 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.44 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

ALKYL POLYGLUCOSIDE - CAS: 68515-73-1

Target: Marine water - Value: 0.0176 mg/l

Target: Microorganisms in sewage treatments - Value: 560 mg/l

Target: Marine water sediments - Value: 0.152 mg/kg

Target: Soil (agricultural) - Value: 0.654 mg/kg

Target: Fresh Water - Value: 0.176 mg/l

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Target: Marine water - Value: 0.00335 mg/l

Target: Marine water sediments - Value: 0.524 mg/kg

Target: Soil (agricultural) - Value: 1.02 mg/kg

Target: Microorganisms in sewage treatments - Value: 24 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

SECTION 9: Physical and chemical properties

52883ACLP/1

Page n. 4 of 9

Safety Data Sheet

ACIDFOAM

9.1. Information on basic physical and chemical properties

Appearance and colour:	Clear liquid, colorless
Odour:	Technical
Odour threshold:	Evident
pH:	< 1,0
Melting point / freezing point:	N.A.
Initial boiling point and boiling range:	>= 100 °C
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	> 65 ° C
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	1,037 g/ml
Solubility in water:	Total
Solubility in oil:	None
Partition coefficient (n-octanol/water):	< 1000
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	< 10 cP
Explosive properties:	N.A.
Oxidizing properties:	N.A.

9.2. Other information

Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	Not Relevant

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:
N.A.

Toxicological information of the main substances found in the mixture:

PHOSPHORIC ACID; ORTOPHOSPHORIC ACID - CAS: 7664-38-2

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit = 2740 mg/kg

Test: LD50 - Route: Oral - Species: Rat = 1250 mg/kg

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1064 mg/kg

PHOSPHORIC ACID; ORTOPHOSPHORIC ACID - CAS: 7664-38-2

LD50 (RABBIT) SKIN: 2740 MG/KG

Safety Data Sheet ACIDFOAM

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

PHOSPHORIC ACID; ORTOPHOSPHORIC ACID - CAS: 7664-38-2

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

Endpoint: LC50 - Species: Fish = 75.1 mg/l - Duration h: 96 - Notes: Oryzias latipes

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 2.67 mg/l

Endpoint: EC50 - Species: Daphnia = 3.1 mg/l

Endpoint: EC50 - Species: Algae = 0.143 mg/l

12.2. Persistence and degradability

None

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information



14.1. UN number

ADR-UN Number: 1760

IATA-UN Number: 1760

IMDG-UN Number: 1760

14.2. UN proper shipping name

52883ACLP/1

Page n. 6 of 9

Safety Data Sheet

ACIDFOAM

ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S. (PHOSPHORIC ACID; ORTOPHOSPHORIC ACID)
IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S. (PHOSPHORIC ACID; ORTOPHOSPHORIC ACID)
IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S. (PHOSPHORIC ACID; ORTOPHOSPHORIC ACID)
14.3. Transport hazard class(es)	
ADR-Class:	8
ADR-Label:	8
ADR - Hazard identification number:	80
IATA-Class:	8
IATA-Label:	8
IMDG-Class:	8
IMDG-Class:	8
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Environmental Pollutant:	No
IMDG-Marine pollutant:	No
14.6. Special precautions for user	
Rail (RID):	8
ADR-Subsidiary risks:	-
ADR-S.P.:	274
ADR-Tunnel Restriction Code:	(E)
IATA-Passenger Aircraft:	852
IATA-Subsidiary risks:	-
IATA-Cargo Aircraft:	856
IATA-S.P.:	A3 A803
IATA-ERG:	8L
IMDG-Page:	87
IMDG-EmS:	F-A , S-B
IMDG-Subsidiary risks:	-
IMDG-MFAG:	ed. 2000
IMDG-Storage category:	Category A
IMDG-Storage notes:	Clear of living quarters.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)
 - Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)
 - Dir. 98/24/EC (Risks related to chemical agents at work)
 - Dir. 2000/39/EC (Occupational exposure limit values)
 - Dir. 2006/8/EC
 - Regulation (EC) n. 1907/2006 (REACH)
 - Regulation (EC) n. 1272/2008 (CLP)
 - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
 - Regulation (EU) n. 453/2010 (Annex I)
 - Regulation (EU) n. 286/2011 (ATP 2 CLP)
 - Regulation (EU) n. 618/2012 (ATP 3 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
- None

Where applicable, refer to the following regulatory provisions :



Safety Data Sheet

ACIDFOAM

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.
Regulation (EC) nr 648/2004 (detergents).
1999/13/EC (VOC directive)

15.2. Chemical safety assessment
No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

R22 Harmful if swallowed.
R34 Causes burns.
R38 Irritating to skin.
R41 Risk of serious damage to eyes.
R50 Very toxic to aquatic organisms.

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold
CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.
EINECS: European Inventory of Existing Commercial Chemical Substances.
GefStoffVO: Ordinance on Hazardous Substances, Germany.
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.
KSt: Explosion coefficient.
LC50: Lethal concentration, for 50 percent of test population.



Safety Data Sheet

ACIDFOAM

LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.