

### Safety Data Sheet dated 9/12/2019, version 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

AMBIENCE AUTUMN Trade name:

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Washing and cleaning products (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Warning, Eye Irrit. 2, Causes serious eye irritation.



Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear eye protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:** 

EUH208 Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE.

May produce an allergic reaction.



Product contents:

cationic surfactants, non-ionic surfactants < 5 %

The product also contains: Perfumes

Allergens: BENZYL SALICYLATE, COUMARIN, BUTYLPHENYL

METHYLPROPIONAL, CITRONELLOL, HEXYL CINNAMAL,

**D-LIMONENE** 

Preservatives: METHYLCHLOROISOTHIAZOLINONE,

**METHYLISOTHIAZOLINONE** 

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 5% - < 7% DIPROPYLENE GLYCOL MONOMETHYL ETHER;

(2-METHOXYMETHYLETHOXY) PROPANOL

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2

Substance with a Union workplace exposure limit.

>= 1% - < 3% ISOTRIDECANOL ETHOXYLATED

REACH No.: 02-2119552461-55, CAS: 69011-36-5

3.1/4/Oral Acute Tox. 4 H302

3.3/1 Eye Dam. 1 H318

>= 1% - < 3% ALKOXYLATED FATTY ALCOHOL

CAS: 166736-08-9

3.3/2 Eye Irrit. 2 H319

>= 0.25% - < 0.5% ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE

REACH No.: 01-2119965180-41, CAS: 68391-01-5, EC: 269-919-4

3.2/1B Skin Corr. 1B H314

3.1/4/Oral Acute Tox. 4 H302

4.1/A1 Aquatic Acute 1 H400

4.1/C1 Aquatic Chronic 1 H410

< 0,0015% METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE



Index number: 613-167-00-5, CAS: 55965-84-9, EC: 611-341-5

3.1/2/Inhal Acute Tox. 2 H330

3.1/2/Dermal Acute Tox. 2 H310

3.1/3/Oral Acute Tox. 3 H301

3.2/1B Skin Corr. 1B H314

3.3/1 Eye Dam. 1 H318

3.4.2/1 Skin Sens. 1 H317

4.1/A1 Aquatic Acute 1 H400 M=100.

4.1/C1 Aquatic Chronic 1 H410 M=100.

**EUH071** 

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Skin and eye irritation for contact

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Keep away from food, drink and feed.

Incompatible materials:



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. See section 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin

ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye and URT irr, CNS impair

#### **DNEL Exposure Limit Values**

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Worker Industry: 65 mg/kg - Consumer: 15 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 308 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 1.67 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 36 mg/kg - Exposure: Human Oral - Frequency: Long Term (repeated)

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Worker Industry: 5.7 mg/kg - Consumer: 3.4 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: day

Worker Industry: 3.96 mg/m3 - Consumer: 1.64 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 3.4 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic

effects - Notes: day

#### **PNEC Exposure Limit Values**

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Target: Marine water - Value: 1.9 mg/l

Target: Air - Value: 190 mg/l - Notes:: Intermittent emissions

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Marine water sediments - Value: 5.2 mg/kg Target: Freshwater sediments - Value: 52.3 mg/kg

Target: Fresh Water - Value: 19 mg/l

Target: Soil (agricultural) - Value: 2.74 mg/kg

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Target: Marine water - Value: 0.00009 mg/l Target: Fresh Water - Value: 0.0009 mg/l



Target: Marine water sediments - Value: 1.22 mg/kg

Target: Soil (agricultural) - Value: 7 mg/kg

Target: Microorganisms in sewage treatments - Value: 0.4 mg/l

Target: Air - Value: 0.00016 mg/l

Target: Fresh Water - Value: 0.0009 mg/l

Target: Freshwater sediments - Value: 12.27 mg/kg

#### 8.2. Exposure controls

#### Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

#### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

#### Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

#### Respiratory protection:

Not needed for normal use.

#### Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

#### Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

#### Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, blue	Visual	
Odour:	Fresh	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	8 +/- 1	Instrumental control	
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>=100°C		Estimated value on chemical / physical properties of components
Flash point:	> 60 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product



Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.003 g/ml	Instrumental control	
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient (n-octanol/water):	< 1000		Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
Viscosity:	< 10 cP		Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant		Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant		Parameter not relevant for product composition.

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### 10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### 10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

#### 10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2



10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the product:

AMBIENCE AUTUMN

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 275 ppm - Duration: 7h

b) skin corrosion/irritation:

Test: Skin Irritant Negative

c) serious eye damage/irritation:

Test: Eye Irritant Negative

d) respiratory or skin sensitisation:



Test: Skin or Resp. Sensitization Negative ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 555.556 mg/kg - Source: OECD 423 Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404

c) serious eye damage/irritation:

Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 397.5 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 3412 mg/kg

b) skin corrosion/irritation:

Test: Skin Corrosive Positive

c) serious eye damage/irritation:Test: Eye Corrosive Positive

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9

a) acute toxicity:

Test: LC50 - Route: Inhalation Dust - Species: Rat = 0.31 mg/l - Duration: 4h

b) skin corrosion/irritation:

Test: Skin Corrosive - Route: Skin Positive

c) serious eye damage/irritation:

Test: Eye Corrosive Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin Positive

## **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

AMBIENCE AUTUMN

The product is classified: Aquatic Chronic 2 - H411

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 96 - Notes:

Pseudokirchneriella subcapitata

Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon

Endpoint: EC50 - Species: Algae = 6999 mg/l - Duration h: 72 - Notes: Skeletonema costatum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 4168 mg/l - Duration h: 18 - Notes: Pseudomonas putida



#### ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 1 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l - Duration h: 17

#### ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.016 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.515 mg/l - Duration h: 96 Endpoint: EC50 - Species: Algae = 0.03 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 0.009 mg/l

### METHYLCHLOROISOTHIAZOLINONE, MĚTHYLISOTHIĂZOLINONE - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.19 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

### 12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Biodegradability: Readily biodegradable - Duration: 28 days - %: 75 - Notes: OECD 301F

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Biodegradability: Readily biodegradable - Test: CO2 production - Duration: 28 days - %: >60

Test: OECD 301E - %: 90

#### ALKOXYLATED FATTY ALCOHOL - CAS: 166736-08-9

Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days - Notes: >60% BOD del ThOD

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Biodegradability: Readily biodegradable

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8



Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor -

Notes: < 100

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Bioaccumulation: Not bioaccumulative

ALKOXYLATED FATTY ALCOHOL - CAS: 166736-08-9

Bioaccumulation: Not bioaccumulative

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8 Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6.

### **SECTION 14: Transport information**





14.1. UN number

ADR-UN Number: 3082 IATA-UN Number: 3082 IMDG-UN Number: 3082

14.2. UN proper shipping name

IATA-Shipping Name:

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE)

IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE)

14.3. Transport hazard class(es)

ADR-Class: 9
ADR - Hazard identification number: 90

IATA-Class: 9 ADR/IATA/IMDG-Label: 9 IMDG-Class: 9

14.4. Packing group

ADR-Packing Group: III IATA-Packing group: III IMDG-Packing group: III



14.5. Environmental hazards

ADR-Enviromental Pollutant: Yes

IMDG-Marine pollutant: Marine Pollutant

14.6. Special precautions for user

ADR-Subsidiary risks: -

ADR-S.P.: 274 335 375 601 ADR-Transport category (Tunnel restriction code): 3 (-)

IATA-Passenger Aircraft: 964
IATA-Subsidiary risks: IATA-Cargo Aircraft: 964

IATA-S.P.: A97 A158 A197

IATA-ERG: 9L

IMDG-EmS: F-A , S-F

IMDG-Subsidiary risks:

IMDG-Stowage and handling: Category A

IMDG-Segregation: -

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EĆ (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None



### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H310 Fatal in contact with skin.

H301 Toxic if swallowed.

EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.



CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EC0/10/20/50/ Effective concentration, for 0/10/20/50/100 percent of test population.

100:

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC0/10/20/50/ Lethal concentration, for 0/10/20/50/100 percent of test population.

100:

LD0/10/20/50/ Lethal dose, for 0/10/20/50/100 percent of test population.

100:

NOEC: No Observed Effect Concentration

NOAEL(R)/N No Observed Adverse Effect Level(Repeated)/Concentration

OAEC:

OECD: Organisation for Economic Co-operation and Development

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.



## ANNEX I PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario		
Detergent for general cleaning: Manual process.		
Use description		
Sector Use	SU22 – Professional use	
Product Category	PC35 – Washing and cleaning products (including solvent	
	based products)	
Description of activities/process considered on exposure scenario.		
Diluite with water as specified on the label, if neces	ssary.	
Use following the use instruction as specified on th	e label.	
Leave on.		
Rinse, if necessary.		
Frequency and duration		
Use phase	- 1 time a day for daily cleaning detergents	
	<ul> <li>Periodical for specific detergents</li> </ul>	
Relevant limit values of ingredients, if available, are	e stated in section 8 of the SDS.	
Physical appearence and concentration		
Liquid. To dilute or ready to use.		
In section 2 of the SDS of product and on the label, the classification of mixture is provided.		
	fication and on chemical/physical properties stated in section 9	
of the SDS of product.		
Use conditions		
Room temperature		
Good general ventilation at workplace is sufficient.		
Protection		
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is	
information on PPE.	supposed.	
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.	
No open flame.	Do not use in combination with other products	
Wash hand after use.		
In case of accidental release: dilute with water and dry.		
See section 6 of the SDS in case of accidental release		
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as		
specified in section 7 on the SDS.		
Environmental measures		
See section 6 of the SDS in case of accidental release		
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.		
See section 13 of the SDS for disposal considerations.		

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment