

Safety Data Sheet dated 3/3/2016, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: ANTIBAC CREAM

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Hand disinfectant gel.

Uses advised against:

Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

♦ Warning, Eye Irrit. 2, Causes serious eye irritation.

Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear eye protection.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

Product contents:

amphoteric surfactants

The product also contains: Disinfectants

Allergens: Preservatives:

53954CLP/2

Page n. 1 of10

< 5 %



Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 3% - < 5% COCAMIDOPROPYL BETAINE

REACH No.: 01-2119489410-39, CAS: 147170-44-3, EC: 931-333-8

♦ 3.3/1 Eye Dam. 1 H318

4.1/C3 Aquatic Chronic 3 H412

>= 1% - < 3% C12-14 ALKYLDIMETHYLAMINES, N-OXIDES

REACH No.: 01-2119490061-47, CAS: 308062-28-4, EC: 931-292-6

- 3.1/4/Oral Acute Tox. 4 H302
- ♦ 3.3/1 Eye Dam. 1 H318
- 1 3.2/2 Skin Irrit. 2 H315
- ♦ 4.1/A1 Aquatic Acute 1 H400 M=1.
- 4.1/C2 Aquatic Chronic 2 H411 M=1.

>= 0.5% - < 1% ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE

REACH No.: 01-2119965180-41, CAS: 68391-01-5, EC: 269-919-4

- 3.2/1B Skin Corr. 1B H314
- 3.1/4/Oral Acute Tox. 4 H302
- 4.1/C1 Aquatic Chronic 1 H410
- 4.1/A1 Aquatic Acute 1 H400

>= 0.25% - < 0.5% CHLORHEXIDINE DIGLUCONATE

REACH No.: 01-2119946568-22, CAS: 18472-51-0, EC: 242-354-0

- ♦ 3.3/1 Eye Dam. 1 H318
- 4.1/A1 Aquatic Acute 1 H400
- 4.1/C1 Aquatic Chronic 1 H410

>= 0.01% - < 0.1% ETHANOL; ETHYL ALCOHOL

REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6

- 2.6/2 Flam. Liq. 2 H225
- 3.3/2 Eye Irrit. 2 H319

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

53954CLP/2

Page n. 2 of10



Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

53954CLP/2



7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

EU - LTE(8h): 1920 mg/m3, 1000 ppm - Notes: WEL

ACGIH - STE: 1884 mg/m3, 1000 ppm - Notes: A3 - URT irr

DNEL Exposure Limit Values

COCAMIDOPROPYL BETAINE - CAS: 147170-44-3

Worker Industry: 12.5 mg/kg - Consumer: 7.5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 44 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects

Consumer: 7.5 - Exposure: Human Oral - Frequency: Long Term, systemic effects

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Worker Industry: 11 mg/kg - Consumer: 5.5 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 15.5 mg/m3 - Consumer: 3.8 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 0.44 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Worker Industry: 5.7 mg/kg - Consumer: 3.4 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 3.96 mg/m3 - Consumer: 4.64 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 3.4 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5

Worker Industry: 1900 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term,

local effects

Worker Industry: 950 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term,

systemic effects

Worker Industry: 343 mg/kg - Exposure: Human Dermal - Frequency: Long Term,

systemic effects - Notes: bw/day

PNEC Exposure Limit Values

COCAMIDOPROPYL BETAINE - CAS: 147170-44-3

Target: Marine water - Value: 0.00135 mg/l

Target: Fresh Water - Value: 0.0135 mg/l

Target: Marine water sediments - Value: 0.1 mg/kg

Target: Soil (agricultural) - Value: 0.8 mg/kg

Target: Microorganisms in sewage treatments - Value: 3000 mg/l

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Target: Marine water - Value: 0.00335 mg/l

Target: Marine water sediments - Value: 0.524 mg/kg

Target: Soil (agricultural) - Value: 1.02 mg/kg

Target: Microorganisms in sewage treatments - Value: 24 mg/kg ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Target: Marine water - Value: 0.00009 mg/l Target: Fresh Water - Value: 0.0009 mg/l

53954CLP/2





Target: Microorganisms in sewage treatments - Value: 0.4 mg/l

Target: Soil (agricultural) - Value: 7 mg/kg

Target: Marine water sediments - Value: 1.22 mg/kg

ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5 Target: Marine water - Value: 0.79 mg/l Target: Fresh Water - Value: 0.96 mg/l

Target: Marine water sediments - Value: 2.9 mg/kg Target: Soil (agricultural) - Value: 0.63 mg/kg Target: Freshwater sediments - Value: 3.6 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, orange		
Odour:	Technical		
Odour threshold:	Evident		
pH:	6,3 +/- 0,5		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	>= 100°C		
Flash point:	> 65 ° C		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		



Vapour density:	N.A.	
Relative density:	1,010 g/ml	
Solubility in water:	Completa	
Solubility in oil:	Partial	
Partition coefficient (n-octanol/water):	< 1000	
Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	800 +/- 200 cPs	
Explosive properties:	N.A.	
Oxidizing properties:	N.A.	

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	Not Relevant		

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

N.A

Toxicological information of the main substances found in the mixture:



```
COCAMIDOPROPYL BETAINE - CAS: 147170-44-3
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
                  Test: LD50 - Route: Skin - Species: Rat > 2000 mg/l
            C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat = 1064 mg/kg
            ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat = 397.5 mg/kg
                  Test: LD50 - Route: Skin - Species: Rabbit = 3412 mg/kg
            ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5
            a) acute toxicity:
                  Test: LD50 - Route: Oral - Species: Rat > 6200 mg/kg
                  Test: LC50 - Route: Inhalation - Species: Rat > 50 mg/m3
                  Test: LD50 - Route: Skin - Species: Rabbit = 20 g/kg
      If not differently specified, the information required in Regulation (EU)2015/830 listed below must be
      considered as N.A.:
            a) acute toxicity:
            b) skin corrosion/irritation;
            c) serious eye damage/irritation;
            d) respiratory or skin sensitisation;
            e) germ cell mutagenicity;
            f) carcinogenicity:
            g) reproductive toxicity:
            h) STOT-single exposure:
            i) STOT-repeated exposure:
            i) aspiration hazard.
SECTION 12: Ecological information
      12.1. Toxicity
            Adopt good working practices, so that the product is not released into the environment.
            COCAMIDOPROPYL BETAINE - CAS: 147170-44-3
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Leuciscus idus
                  Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48
                  Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus
                  subspicatus
            C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish = 2.67 mg/l
                  Endpoint: EC50 - Species: Daphnia = 3.1 mg/l
                  Endpoint: EC50 - Species: Algae = 0.143 mg/l
            ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5
            a) Aquatic acute toxicity:
                  Endpoint: EC50 - Species: Daphnia = 0.016 mg/l - Duration h: 48
                  Endpoint: LC50 - Species: Fish = 0.515 mg/l - Duration h: 96
                  Endpoint: NOEC - Species: Algae = 0.009 mg/l - Duration h: 72
            CHLORHEXIDINE DIGLUCONATE - CAS: 18472-51-0
            a) Aquatic acute toxicity:
                  Endpoint: LC50 - Species: Fish = 2.08 mg/l
                  Endpoint: EC50 - Species: Algae = 0.081 mg/l
                  Endpoint: EC50 - Species: Daphnia = 0.087 mg/l - Notes: Daphnia magna
            ETHANOL; ETHYL ALCOHOL - CAS: 64-17-5
```

Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72 - Notes: Chlorella vulgaris

a) Aquatic acute toxicity:



Endpoint: LC50 - Species: Fish = 13000 mg/l - Duration h: 96 - Notes: Salmo gairdneri Endpoint: EC50 - Species: Daphnia = 12340 mg/l - Duration h: 48 - Notes: Daphnia magna

12.2. Persistence and degradability

None N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information



14.1. UN number

ADR-UN Number: 3082 IATA-UN Number: 3082 IMDG-UN Number: 3082

14.2. UN proper shipping name

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (alkyldimethylbenzylammonium chloride)

IATA-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (alkyldimethylbenzylammonium chloride)

IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (alkyldimethylbenzylammonium chloride)

14.3. Transport hazard class(es)

ADR-Class: 9

ADR - Hazard identification number: 90

IATA-Class: 9 IMDG-Class: 9

14.4. Packing group

ADR-Packing Group: III IATA-Packing group: III IMDG-Packing group: III

14.5. Environmental hazards

ADR-Enviromental Pollutant: Yes

IMDG-Marine pollutant: Marine Pollutant

14.6. Special precautions for user

ADR-Subsidiary risks:

ADR-S.P.: 274 335 601
ADR-Tunnel Restriction Code: 3 (E)
IATA-Passenger Aircraft: 964
IATA-Subsidiary risks: -

IATA-Cargo Aircraft: 964 IATA-S.P.: A97 A158

53954CLP/2

Page n. 8 of10



IATA-ERG: 9L

IMDG-EmS: F-A , S-F

IMDG-Subsidiary risks:

IMDG-Storage category: Category A

IMDG-Storage notes:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation

(EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

SECTION 3: Composition/information on ingredients

SECTION 6: Accidental release measures

SECTION 8: Exposure controls/personal protection

SECTION 9: Physical and chemical properties

53954CLP/2





SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.