

Safety Data Sheet dated 2/10/2020, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification Trade name: CLEANOX

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Washing and cleaning products (PC35) Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it

1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Warning, Acute Tox. 4, Harmful if swallowed.

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.



Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements



Danger Hazard statements: H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. Precautionary statements: P264 Wash hands thoroughly after handling. P280 Wear protective gloves and eye protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician.

57110CLP/2 Page n. 1 of15



Special Provisions: EUH210 Only for professional use. Safety data sheet available on request. Contains HYDROGEN PEROXIDE ISOTRIDECANOL ETHOXYLATED HYDROXYETHYLIDENEDIPHOSPHONIC ACID

Product contents: oxygen-based bleaching agents non-ionic surfactants phosphonates Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

- 3.2. Mixtures
 - Hazardous components within the meaning of the CLP regulation and related classification: >= 15% < 20% HYDROGEN PEROXIDE
 - REACH No.: 01-2119485845-22, Index number: 008-003-00-9, CAS: 7722-84-1, EC: 231-765-0
 - 📀 2.13/1 Ox. Liq. 1 H271
 - 3.3/1 Eye Dam. 1 H318
 - 3.1/4/Oral Acute Tox. 4 H302
 - 3.1/4/Inhal Acute Tox. 4 H332
 - 3.2/1A Skin Corr. 1A H314
 - 3.8/3 STOT SE 3 H335
 - 4.1/C3 Aquatic Chronic 3 H412

Specific Concentration Limits: $5\% \le C < 8\%$: Eye Irrit. 2 H319 $8\% \le C < 50\%$: Eye Dam. 1 H318 $35\% \le C < 50\%$: Skin Irrit. 2 H315 $C \ge 35\%$: STOT SE 3 H335 $50\% \le C < 70\%$: Ox. Liq. 2 H272 $50\% \le C < 70\%$: Skin Corr. 1B H314 $C \ge 63\%$: Aquatic Chronic 3 H412 $C \ge 70\%$: Ox. Liq. 1 H271 $C \ge 70\%$: Skin Corr. 1A H314

>= 10% - < 12.5% CITRIC ACID MONOHYDRATE

57110CLP/2 Page n. 2 of15



REACH No.: 01-2119457026-42, CAS: 5949-29-1, EC: 201-069-1 3.3/2 Eye Irrit. 2 H319 >= 5% - < 7% ISOTRIDECANOL ETHOXYLATED REACH No.: 02-2119552461-55, CAS: 69011-36-5 3.3/1 Eye Dam. 1 H318 3.1/4/Oral Acute Tox. 4 H302 >= 3% - < 5% HYDROXYETHYLIDENEDIPHOSPHONIC ACID REACH No.: 01-2119510391-53, CAS: 2809-21-4, EC: 220-552-8 2.16/1 Met. Corr. 1 H290 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318 >= 3% - < 5% ALKOXYLATED FATTY ALCOHOL 3.3/2 Eye Irrit. 2 H319 **SECTION 4: First aid measures** 4.1. Description of first aid measures In case of skin contact: Immediately take off all contaminated clothing. OBTAIN IMMEDIATE MEDICAL ATTENTION. Remove contaminated clothing immediately and dispose off safely. After contact with skin, wash immediately with soap and plenty of water. In case of eyes contact: After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately. Protect uninjured eye. In case of Ingestion: Do NOT induce vomiting. Give nothing to eat or drink. In case of Inhalation: Remove casualty to fresh air and keep warm and at rest. 4.2. Most important symptoms and effects, both acute and delayed Acute effects: Severe skin and eye irritation for contact. Irritation interior system if swallowed. 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

57110CLP/2 Page n. 3 of15



Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures For non emergency personnel: Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. For emergency responders: Wear personal protection equipment.
 6.2. Environmental precautions
- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. 7.2. Conditions for safe storage, including any incompatibilities Do not store in open or unlabeled containers. Store in a cool and well ventilated place. Store away from heat sources. Store away from sunlight. Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Keep away from food, drink and feed.

57110CLP/2 Page n. 4 of15



Incompatible materials:

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

ACGIH - TWA(8h): 1 ppm - Notes: A3 - Eye, URT, and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

Worker Industry: 3 mg/m3 - Consumer: 1.93 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 1.4 mg/m3 - Consumer: 0.21 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4

Consumer: 6.5 mg/kg - Exposure: Human Oral - Frequency: Short Term, systemic effects

Consumer: 6.5 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

Target: Fresh Water - Value: 0.0126 mg/l

Target: Marine water - Value: 0.0126 mg/l

Target: Air - Value: 0.0138 mg/l

Target: Microorganisms in sewage treatments - Value: 4.66 mg/l

Target: Soil (agricultural) - Value: 0.0023 mg/kg

Target: Marine water sediments - Value: 0.47 mg/kg

Target: Freshwater sediments - Value: 0.47 mg/kg

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

Target: Marine water - Value: 0.044 mg/l

Target: Fresh Water - Value: 0.44 mg/l

Target: Marine water sediments - Value: 34.6 mg/kg

Target: Freshwater sediments - Value: 3.46 mg/kg

Target: Soil (agricultural) - Value: 33.1 mg/kg

Target: Microorganisms in sewage treatments - Value: 1001 mg/l

HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4

Target: Marine water - Value: 0.014 mg/l

Target: Fresh Water - Value: 0.13 mg/l

Target: Marine water sediments - Value: 5.9 mg/kg

57110CLP/2 Page n. 5 of15



Target: Freshwater sediments - Value: 59 mg/kg Target: Soil (agricultural) - Value: 96 mg/kg Target: Microorganisms in sewage treatments - Value: 20 mg/l Target: Food chain - Value: 12000 mg/kg

- 8.2. Exposure controls
- Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

For specifical uses, use respiratory protection where ventilation is insufficient or exposure is prolonged (eg EN 140 or EN149 as FFP3).

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, colorless	Visual	
Odour:	Technical	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	<1	Instrumental control	
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>100°C		Estimated value on chemical / physical properties of components
Flash point:	>60 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the



			type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.14 g/ml	Instrumental control	
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient	<1000		Value estimated based on the
(n-octanol/water):			solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
Viscosity:	<10cP		Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant		Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant		Parameter not relevant for product composition.

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

SECTION 10: Stability and reactivity

10.1. Reactivity

Do not use in combination with other products.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- 10.2. Chemical stability Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

10.4. Conditions to avoid

Avoid direct sunlight and exposure to heat sources.

57110CLP/2 Page n. 7 of15



Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

- 10.6. Hazardous decomposition products
 - Oxygen.

Do not use in combination with other products.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the product: CLEANOX a) acute toxicity The product is classified: Acute Tox. 4 H302 ATEmix - Oral 1771,28 mg/kg bw b) skin corrosion/irritation The product is classified: Skin Corr. 1A H314 c) serious eye damage/irritation The product is classified: Eye Dam. 1 H318 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met g) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. HYDROGEN PEROXIDE - CAS: 7722-84-1 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 431 mg/kg - Source: Expert judge Test: LC50 - Route: Inhalation - Species: Rat = 1.5 mg/l - Duration: 4h - Source: **US-EPA-method**

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: US-EPA-method

57110CLP/2 Page n. 8 of 15



b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive - Duration: 4h c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD TG 405 d) respiratory or skin sensitisation: Test: Skin Sensitization - Route: Skin Negative - Source: literature CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 3000 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg Test: NOAEL - Route: Oral - Species: Rat = 4 mg/kg bw/d b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Positive - Source: OECD 405 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames Test a) reproductive toxicity: Test: NOAEL - Species: Rat > 295 mg/kg bw/d Toxicological kinetics, metabolism and distribution information: Test: NOAEL - Route: Oral - Species: Rat = 1200 mg/kg ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 555.556 mg/kg - Source: OECD 423 Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402 b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4 a) acute toxicity: Test: LD50 - Route: Oral - Species: Mouse = 1100 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 6000 mg/kg **SECTION 12: Ecological information** 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

CLEANOX

Not classified for environmental hazards

Based on available data, the classification criteria are not met

HYDROGEN PEROXIDE - CAS: 7722-84-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 16.4 mg/l - Duration h: 96 - Notes: Pimephales promelas

Endpoint: EC50 - Species: Daphnia = 2.4 mg/l - Duration h: 48 - Notes: Daphnia pulex Endpoint: NOEC - Species: Algae = 0.63 mg/l - Duration h: 72 - Notes: Skeletonema costatum

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 0.63 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: = 466 mg/l - Duration h: 0.5

57110CLP/2 Page n. 9 of15



Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l -Duration h: 3 CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 440 mg/l - Duration h: 48 - Notes: Leuciscus idus melanotus Endpoint: EC50 - Species: Daphnia = 120 mg/l - Duration h: 72 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 990 mg/l - Duration h: 72 - Notes: Alga b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Algae = 425 mg/l - Duration h: 192 c) Bacteria toxicity: Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l -Duration h: 16 - Notes: Pseudomonas putida ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia > 1 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l -Duration h: 17 HYDROXYETHYLIDENEDIPHOSPHONIC ACID - CAS: 2809-21-4 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia = 527 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: LC50 - Species: Fish = 368 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss Endpoint: EC50 - Species: Algae = 7.2 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata 12.2. Persistence and degradability Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. HYDROGEN PEROXIDE - CAS: 7722-84-1 Biodegradability: Readily biodegradable CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 Biodegradability: Readily biodegradable - Test: OECD 302B - Duration: 14 d - %: 85 ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 Biodegradability: Readily biodegradable - Test: CO2 production - Duration: 28 days -%: >60 Test: OECD 301E - %: 90 ALKOXYLATED FATTY ALCOHOL Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days -Notes: >60% BOD del ThOD

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture.

57110CLP/2 Page n. 10 of15



Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

Bioaccumulation: Slightly bioaccumulative - Test: Log Pow - Partition coefficient -1.67 ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Bioaccumulation: Not bioaccumulative

ALKOXYLATED FATTY ALCOHOL

Bioaccumulation: Not bioaccumulative

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

SECTION 14: Transport information



14.1. UN number	
ADR-UN Number:	2984
IATA-UN Number:	2984
IMDG-UN Number:	2984
14.2. UN proper shipping name	
	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized
11 0	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not
	less than 8% but less than 20% hydrogen peroxide (stabilized
	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized
	as necessary)
14.3. Transport hazard class(es)	as necessary
,	5.1
ADR - Hazard identification num	
	5.1
IATA-Label:	5.1
	5.1
14.4. Packing group	

57110CLP/2 Page n. 11 of 15



ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	No
14.6. Special precautions for user	
ADR-Subsidiary hazards:	-
ADR-S.P.:	65
ADR-Transport category (Tunn	el restriction code): 3 (E)
IATA-Passenger Aircraft:	551
IATA-Subsidiary hazards:	-
IATA-Cargo Aircraft:	555
IATA-S.P.:	A803
IATA-ERG:	5L
IMDG-EmS:	F-H , S-Q
IMDG-Subsidiary hazards:	-
IMDG-Stowage and handling:	Category B SW1
IMDG-Segregation:	SG16 SG59 SG72
14.7 Transport in bulk according to A	nney II of Marnol and the IBC

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/699 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario -Annex I of this document.

57110CLP/2 Page n. 12 of15



A Chemical Safety Assessment has been carried out for the mixture. No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H271 May cause fire or explosion; strong oxidiser.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H272 May intensify fire; oxidiser.

H290 May be corrosive to metals.

Hazard class and	Code	Description
hazard category		
Ox. Liq. 1	2.13/1	Oxidising liquid, Category 1
Ox. Liq. 2	2.13/2	Oxidising liquid, Category 2
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals,
		Category 1
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure,
		Category 3
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Acute Tox. 4, H302	Calculation method
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.



It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International
ATE:	Carriage of Dangerous Goods by Road. Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American
0/10.	Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test
200,10,20,00,100.	population.
EINECS:	European Inventory of Existing Commercial Chemical
	Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and
	Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air
	Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation
	Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test
	population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/NOAEC:	No Observed Adverse Effect
	Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and
	Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of
OTEL -	Dangerous Goods by Rail.
STEL: STOT:	Short Term Exposure limit.
TLV:	Specific Target Organ Toxicity. Threshold Limiting Value.
TUV: TWA:	Time-weighted average
WGK:	German Water Hazard Class.
VV GIL.	Gennan waler Hazaru Glass.



ANNEX I

PROFESSIONAL TRIGGER PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Washing and cleaning products (including
	solvent based products)
Description of activities/process considered of	
If required, transfer product from canister to trigge	
Use following the use instruction as specified on f	the label.
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	Daily, depending on room size and room dirty conditions.
Relevant limit values of ingredients, if available, a	are stated in section 8 of the SDS.
Physical appearence and concentration	
Liquid. To diluite or ready to use.	
In section 2 of the SDS of product and on the lab	el the classification of mixture is provided.
	sification and on chemical/physical properties stated in
section 9 of the SDS of product.	
Use conditions	
Room temperature	1
Good general ventilation at workplace is sufficien	t.
Protection	
Avoid spray inhalation.	
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is
information on PPE.	supposed.
Don't eat or drink, don't smoke. No open flame.	Avoid contact with damaged skin. Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water an	
See section 6 of the SDS in case of accidental re	
	on technical sheet. Use good occupational hygiene
practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental re	lease
See section 12 of the SDS for ecotoxicological in	nformation of mixture and dangerous ingredients

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment