

### Safety Data Sheet dated 4/8/2016, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Mixture identification Trade name: CUAT 88 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Detergent disinfectant for hard surfaces. Professional use (SU22) Products for washing and cleaning (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

- Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.
- Danger, Eye Dam. 1, Causes serious eye damage.



Warning, Aquatic Acute 1, Very toxic to aquatic life.

Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements: H314 Causes severe skin burns and eye damage. H410 Very toxic to aquatic life with long lasting effects. Precautionary statements: P280 Wear eye protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

03328CLP/2 Page n. 1 of16



P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P391 Collect spillage.

P501 Dispose of contents/container in accordance with applicable regulations. Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request. Contents

SODIUM METASILICATE PENTAHYDRATE ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE ISOTRIDECANOL ETHOXYLATED TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

Product contents: non-ionic surfactants 5 - 15 % EDTA and salts thereof < 5 % The product also contains: Disinfectants, Perfumes Allergens: Preservatives: Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

### **SECTION 3: Composition/information on ingredients**

- 3.1. Substances
- Not Applicable, the product is a mixture.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 5% - < 7% ALCOXYLATED FATTY ALCOHOL

- REACH No.: 02-2119552554-37, CAS: 111905-53-4
- (1) 3.3/2 Eye Irrit. 2 H319
- 3.1/4/Oral Acute Tox. 4 H302
- 4.1/C3 Aquatic Chronic 3 H412
- >= 3% < 5% SODIUM METASILICATE PENTAHYDRATE REACH No.: 01-2119449811-37, CAS: 10213-79-3, EC: 229-912-9 3.2/1B Skin Corr. 1B H314
  - 3.3/1 Eye Dam. 1 H318
  - (1) 3.8/3 STOT SE 3 H335
  - 2.16/1 Met. Corr. 1 H290


>= 3% - < 5% ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE

03328CLP/2 Page n. 2 of16



REACH No.: 01-2119965180-41, CAS: 68391-01-5, EC: 269-919-4 3.2/1B Skin Corr. 1B H314

(1) 3.1/4/Oral Acute Tox. 4 H302



4.1/A1 Aquatic Acute 1 H400

### >= 1% - < 3% ISOTRIDECANOL ETHOXYLATED

- REACH No.: 02-2119552461-55
- 3.1/4/Oral Acute Tox. 4 H302
- < 3.3/1 Eye Dam. 1 H318

### >= 1% - < 3% TETRASODIUM ETHYLENE DIAMINE TETRAACETATE

REACH No.: 01-2119486762-27, Index number: 607-428-00-2, CAS: 64-02-8, EC: 200-573-9 3.1/4/Inhal Acute Tox. 4 H332

- 📀 3.3/1 Eye Dam. 1 H318
- 3.1/4/Oral Acute Tox. 4 H302

### >= 0.1% - < 0.25% ETHANOL

REACH No.: 01-2119457610-43, Index number: 603-002-00-5, CAS: 64-17-5, EC: 200-578-6 2.6/2 Flam. Liq. 2 H225

3.3/2 Eye Irrit. 2 H319

### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.
- In case of eyes contact:
  - After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.
  - Protect uninjured eye.
- In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
  - Acute effects:
    - Severe skin and eye irritation for contact.
    - Irritation interior system if swallowed.

03328CLP/2 Page n. 3 of16



Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
  - Water.
  - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture

The product does not contain ingredients classified as explosive according to Regulation 1272/2008/EC (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
    - Remove all sources of ignition.
    - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.



See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Store in area dedicated to alkaly products, keep away from acids and oxygen or peracetic acid based oxidants.

Keep away from food, drink and feed.

Incompatible materials:

See section 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s) None in particular, see paragraph 1.2

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2. SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

EU - STE(15min): 2 mg/m3 - Notes: sodium hydroxyde analogy

ETHANOL - CAS: 64-17-5

EU - LTE(8h): 1920 mg/m3, 1000 ppm - Notes: WEL

ACGIH - STE(15min): 1880 mg/m3, 1000 ppm - Notes: A3 - URT irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2. SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

Worker Industry: 6.22 mg/m3 - Consumer: 1.55 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Worker Industry: 1.49 mg/kg - Consumer: 0.74 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/d

Consumer: 0.74 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/d

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Worker Industry: 5.7 mg/kg - Consumer: 3.4 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 3.96 mg/m3 - Consumer: 4.64 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 3.4 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

TETRASODIUM ETHYLENE DIAMINE TETRAACETATE - CAS: 64-02-8

Worker Industry: 2.5 mg/m3 - Consumer: 1.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 2.5 mg/m3 - Consumer: 1.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

Worker Industry: 2.5 mg/m3 - Consumer: 1.5 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Industry: 2.5 mg/m3 - Consumer: 1.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Consumer: 25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/d

ETHANOL - CAS: 64-17-5



Worker Industry: 1900 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects Worker Industry: 950 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects Worker Industry: 343 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/day **PNEC Exposure Limit Values** Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2. SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3 Target: Marine water - Value: 1 mg/l Target: Fresh Water - Value: 7.5 mg/l Target: Air - Value: 7.5 mg/l Target: Microorganisms in sewage treatments - Value: 1000 mg/l ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5 Target: Marine water - Value: 0.00009 mg/l Target: Fresh Water - Value: 0.0009 mg/l Target: Microorganisms in sewage treatments - Value: 0.4 mg/l Target: Soil (agricultural) - Value: 7 mg/kg Target: Marine water sediments - Value: 1.22 mg/kg Target: Freshwater sediments - Value: 12.27 mg/kg Target: Air - Value: 0.00016 mg/l TETRASODIUM ETHYLENE DIAMINE TETRAACETATE - CAS: 64-02-8 Target: Marine water - Value: 0.22 mg/l - Notes:: Free acid Target: Soil (agricultural) - Value: 0.72 mg/kg - Notes:: Free acid Target: Microorganisms in sewage treatments - Value: 43 mg/l - Notes:: Free acid ETHANOL - CAS: 64-17-5 Target: Marine water - Value: 0.79 mg/l Target: Fresh Water - Value: 0.96 mg/l Target: Marine water sediments - Value: 2.9 mg/kg Target: Soil (agricultural) - Value: 0.63 mg/kg Target: Freshwater sediments - Value: 3.6 mg/kg 8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens.(EN 166) Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust) Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes). Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2. Respiratory protection: Not needed for normal use. Thermal Hazards: The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.



See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions. See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, colorless	Visual	
Odour:	Methyl salicylate	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	12,9 ± 0,5	Instrumental control	
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>= 100°C		Estimated value on chemical / physical properties of components
Flash point:	> 65 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.035 g/ml	Instrumental control	
Solubility in water:	Total		internal tests
Solubility in oil:	Partial		internal tests
Partition coefficient (n-octanol/water):	< 1000		Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
Viscosity:	< 10 cP		Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant		Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant		Parameter not relevant for product composition.

9.2. Other information



Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Store in area dedicated to alkaly products, keep away from acids and oxygen or peracetic acid based oxidants.

In normal conditions no dangerous reactions of the mixture

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also scetion 7.2. 10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

#### 10.5. Incompatible materials

Acids, oxygen-based oxidants, peracetic acid, organic substances.

Store in area dedicated to alkaly products, keep away from acids and oxygen based oxidants and peracetic acid.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Toxicological information of the mixture:

Until the revision date of this document, are not available experimental toxicological data on the mixture.

For the classification of the mixture see section 2.1.

Not applicable

Toxicological information of the main substances found in the mixture:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4

- a) acute toxicity:
  - Test: LD50 Route: Oral Species: Rat > 300 mg/kg
- b) skin corrosion/irritation:

03328CLP/2 Page n. 8 of16



Test: Skin Irritant - Route: Skin - Species: Rabbit Yes - Source: OECD 404 - Notes: slightly irritating c) serious eve damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1152 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 2.06 g/m3 Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg bw/d b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin Positive c) serious eye damage/irritation: Test: Eye Corrosive Positive d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative h) STOT-single exposure: Test: STOT Sing STOT I i) STOT-repeated exposure: Test: NOAEL - Route: Oral - Species: Rat = 227 mg/kg bw/d ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 397.5 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 3412 mg/kg b) skin corrosion/irritation: Test: Skin Corrosive Positive c) serious eye damage/irritation: Test: Eye Corrosive Positive ISOTRIDECANOL ETHOXYLATED a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Positive - Source: OECD 405 TETRASODIUM ETHYLENE DIAMINE TETRAACETATE - CAS: 64-02-8 a) acute toxicity: Test: LC50 - Route: Inhalation - Species: Rat = 1000-5000 mg/m3 - Duration: 6h Test: LD50 - Route: Oral = 1780 mg/kg ETHANOL - CAS: 64-17-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 6200 mg/kg - Source: OECD401 Test: LC50 - Route: Inhalation - Species: Rat > 50 mg/m3 - Source: OECD403 Test: LD50 - Route: Skin - Species: Rabbit = 20 g/kg c) serious eye damage/irritation: Test: Eye Irritant Positive - Source: OECD405 If not differently specified, the information required in Regulation (EU)2015/830 listed below must be

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as Not Applicable:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

03328CLP/2 Page n. 9 of16



g) reproductive toxicity;h) STOT-single exposure;i) STOT-repeated exposure;j) aspiration hazard.

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. The environmental hazard of the product are reported in Section 2.1 if applicable. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Leuciscus Idus Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia mag b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia > 0.1 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l -Notes: DEV-L2 SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 210 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia = 1700 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 207 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia = 0.016 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.515 mg/l - Duration h: 96 Endpoint: NOEC - Species: Algae = 0.009 mg/l Endpoint: EC50 - Species: Algae = 0.03 mg/l - Duration h: 72 ISOTRIDECANOL ETHOXYLATED a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus c) Bacteria toxicity: Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l -Duration h: 17 TETRASODIUM ETHYLENE DIAMINE TETRAACETATE - CAS: 64-02-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Lepomis macrochirus Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus obliquus ETHANOL - CAS: 64-17-5 a) Aquatic acute toxicity:

03328CLP/2 Page n. 10 of16



Endpoint: EC50 - Species: Algae = 275 mg/l - Duration h: 72 - Notes: Chlorella vulgaris Endpoint: LC50 - Species: Fish = 13000 mg/l - Duration h: 96 - Notes: Salmo gairdneri Endpoint: EC50 - Species: Daphnia = 12340 mg/l - Duration h: 48 - Notes: Daphnia magna

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4

Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days - %: >60%

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5 Biodegradability: Readily biodegradable

ISOTRIDECANOL ETHOXYLATED

Biodegradability: Readily biodegradable - Test: CO2 production - Duration: 28 days - %: >60

Biodegradability:: OECD 301E - Duration: Not applicable - %: 90

ETHANOL - CAS: 64-17-5

Biodegradability: Readily biodegradable -

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4 Bioaccumulation: Not bioaccumulative

ISOTRIDECANOL ETHOXYLATED

Bioaccumulation: Not bioaccumulative

ETHANOL - CAS: 64-17-5

Bioaccumulation: Slightly bioaccumulative - Test: Kow - Partition coefficient -0.31 - 12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

### **SECTION 14: Transport information**

03328CLP/2 Page n. 11 of16





14.1. UN number		
ADR-UN Number:	1760	
IATA-UN Number:	1760	
IMDG-UN Number:	1760	
14.2. UN proper shipping name		
ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S. (alkyldimethylbenzylammonium	
Abre empping Hame.	chloride, sodium metasilicate pentahydrate)	
IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S. (alkyldimethylbenzylammonium	
	chloride, sodium metasilicate pentahydrate)	
IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S. (alkyldimethylbenzylammonium	
	chloride, sodium metasilicate pentahydrate)	
14.3. Transport hazard class(es)	······································	
ADR-Class:	8	
ADR-Label	8	
ADR - Hazard identification nu	mber: 80	
IATA-Class/Division:	8	
IATA-Label:	8	
IMDG-Class/Division:	8	
IMDG-Label	8	
14.4. Packing group		
ADR-Packing Group:	III	
IATA-Packing group:	III	
IMDG-Packing group:	III	
14.5. Environmental hazards		
ADR-Enviromental Pollutant:	Yes	
IMDG-Marine pollutant:	Marine Pollutant	
14.6. Special precautions for user		
ADR-Subsidiary risks:	-	
ADR-S.P.:	274	
ADR-Tunnel Restriction Code:	E	
IATA-Passenger Aircraft:	852	
IATA-Subsidiary risks:	-	
IATA-Cargo Aircraft:	856	
IATA-S.P.:	-	
IATA-ERG:	8L	
IMDG-S.P.:	223 274	
IMDG-EmS:	F-A , S-B	
IMDG-Subsidiary risks:	-	
IMDG-Storage category:	Category A	
IMDG-Storage notes:	SW2	
IMDG-Segregation notes	-	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code		
Not applicable		

### **SECTION 15: Regulatory information**

 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values)

03328CLP/2 Page n. 12 of16



Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1

Seveso III category according to Annex 1, part 1 Product belongs to category: E1

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

- H319 Causes serious eye irritation.
  - H302 Harmful if swallowed.
  - H412 Harmful to aquatic life with long lasting effects.
  - H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H290 May be corrosive to metals.
- H410 Very toxic to aquatic life with long lasting effects.
- H400 Very toxic to aquatic life.
- H332 Harmful if inhaled.
- H225 Highly flammable liquid and vapour.

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification

- SECTION 3: Composition/information on ingredients
- SECTION 4: First aid measures
- SECTION 5: Firefighting measures
- SECTION 6: Accidental release measures
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- **SECTION 9: Physical and chemical properties**
- SECTION 10: Stability and reactivity
- SECTION 11: Toxicological information
- **SECTION 12: Ecological information**
- SECTION 13: Disposal considerations
- SECTION 14: Transport information
- SECTION 15: Regulatory information

03328CLP/2 Page n. 13 of16



The classification of the product is based on conventional calculation method.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP: DNEL: EC0/10/20/50/	Classification, Labeling, Packaging. Derived No Effect Level. Effective concentration, for 0/10/20/50/100 percent of test population.
100:	Effective concentration, for 0/10/20/30/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO: GHS:	Ordinance on Hazardous Substances, Germany. Globally Harmonized System of Classification and Labeling of
бпз.	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI: KSt:	International Nomenclature of Cosmetic Ingredients.
	Explosion coefficient. Lethal concentration, for 0/10/20/50/100 percent of test population.
100:	
	Lethal dose, for 0/10/20/50/100 percent of test population.
LTE:	Long-term exposure.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N OAEC:	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC. OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV: TWATLV:	Threshold Limiting Value.
IVVAILV.	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.

03328CLP/2 Page n. 14 of16



03328CLP/2 Page n. 15 of16



ANNEX I

PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario			
Detergent for general cleaning: Manual process.			
Use description			
Sector Use	SU22 – Professional use		
Product Category	PC35 – Cleaning and washing product (including solvent based		
Description of activities/process considered on exposure	products)		
	e scenario.		
Diluite with water as specified on the label, if necessary.			
Use following the use instruction as specified on the label. Leave on.			
Rinse, if necessary.			
Frequency and duration	A floor of the definition for definition of the second		
Use phase	<ul> <li>1 time a day for daily cleaning detergents</li> <li>Periodical for specific detergents</li> </ul>		
Relevant limit values of ingredients, if available, are stated in			
Physical appearence and concentration			
Liquid. To dilute or ready to use.			
In section 2 of the SDS of product and on the label the classif	liantian of mixture is provided		
product.	d on chemical/physical properties stated in section 9 of the SDS of		
Use conditions			
Room temperature			
Good general ventilation at workplace is sufficient.			
Protection			
See section 8 of the SDS of product to more information on	Training of worker to use and maintenance of PPE is supposed.		
PPE.			
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.		
No open flame.	Do not use in combination with other products		
Wash hand after use.			
In case of accidental release: dilute with water and dry.			
See section 6 of the SDS in case of accidental release			
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section			
7 on the SDS.			
Environmental measures			
See section 6 of the SDS in case of accidental release			
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.			
See section 13 of the SDS for disposal considerations.			

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment