

Safety Data Sheet dated 11/12/2019, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification
Trade name: ESSENCE AUTUMN
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Air freshener for environments.
Professional use (SU22) - Air care products (PC3)
Uses advised against:
Different uses than recommended. Do not use in combination with other products.
- 1.3. Details of the supplier of the safety data sheet
Manufacturer:
SUTTER INDUSTRIES s.p.a. - Società con Unico Socio
15060 Borghetto Borbera (AL) Italia
Tel. +39 0143 631.1
Competent person responsible for the safety data sheet:
regulatory.affairs@sutter.it
- 1.4. Emergency telephone number
+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.
- Adverse physicochemical, human health and environmental effects:
No other hazards
- 2.2. Label elements
Hazard pictograms:
None
Hazard statements:
H412 Harmful to aquatic life with long lasting effects.
Precautionary statements:
None
Special Provisions:
EUH210 Only for professional use. Safety data sheet available on request.
EUH208 Contains HEXYL CINNAMAL. May produce an allergic reaction.
EUH208 Contains BENZYL SALICYLATE. May produce an allergic reaction.
EUH208 Contains 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE. May produce an allergic reaction.
EUH208 Contains 4-TERT-BUTYLCYCLOHEXYLACETATE. May produce an allergic reaction.
EUH208 Contains D-LIMONENE. May produce an allergic reaction.
EUH208 Contains HEXYL-2-HYDROXYBENZOATE. May produce an allergic reaction.
EUH208 Contains 3,7-DIMETHYLOCTA-1,6-DIEN-3-YL ACETATE. May produce an allergic reaction.
EUH208 Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 0.25% - < 0.5% HEXYL CINNAMAL

CAS: 101-86-0, EC: 202-983-3



4.1/C1 Aquatic Chronic 1 H410 M=1.



4.1/A1 Aquatic Acute 1 H400 M=1.



3.4.2/1B Skin Sens. 1B H317

>= 0.25% - < 0.5% BENZYL SALICYLATE

CAS: 118-58-1, EC: 204-262-9



3.4.2/1B Skin Sens. 1B H317



4.1/C2 Aquatic Chronic 2 H411

>= 0.1% - < 0.25% 1-(1,2,3,4,5,6,7

,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE
REACH No.: 01-2119489989-04, CAS: 54464-57-2, EC: 259-174-3



3.2/2 Skin Irrit. 2 H315



3.4.2/1B Skin Sens. 1B H317



4.1/A1 Aquatic Acute 1 H400



4.1/C1 Aquatic Chronic 1 H410

>= 0.1% - < 0.25% 4-TERT-BUTYLCYCLOHEXYLACETATE

CAS: 32210-23-4, EC: 250-954-9



4.1/C2 Aquatic Chronic 2 H411



3.4.2/1B Skin Sens. 1B H317

>= 0.1% - < 0.25% D-LIMONENE





REACH No.: 01-2119529223-47, Index number: 601-029-00-7, CAS: 5989-27-5, EC:
227-813-5

Safety Data Sheet ESSENCE AUTUMN

-  2.6/3 Flam. Liq. 3 H226
-  4.1/A1 Aquatic Acute 1 H400
-  4.1/C1 Aquatic Chronic 1 H410
-  3.4.2/1B Skin Sens. 1B H317
-  3.2/2 Skin Irrit. 2 H315
-  3.10/1 Asp. Tox. 1 H304




>= 0.1% - < 0.25% HEXYL-2-HYDROXYBENZOATE

CAS: 6259-76-3, EC: 228-408-6

-  3.2/2 Skin Irrit. 2 H315
-  3.4.2/1 Skin Sens. 1 H317
-  3.3/2 Eye Irrit. 2 H319
-  4.1/C2 Aquatic Chronic 2 H411

>= 0.1% - < 0.25% 3,7-DIMETHYLOCTA-1,6-DIEN-3-YL ACETATE



REACH No.: 01-2119454789-19, CAS: 115-95-7, EC: 204-116-4

-  3.2/2 Skin Irrit. 2 H315
-  3.3/2 Eye Irrit. 2 H319
-  3.4.2/1B Skin Sens. 1B H317

>= 0.1% - < 0.25%

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN; GALAXOLIDE;
(HHCB)

REACH No.: 01-2119488227-29, Index number: 603-212-00-7, CAS: 1222-05-5, EC:
214-946-9

-  4.1/A1 Aquatic Acute 1 H400 M=10.
-  4.1/C1 Aquatic Chronic 1 H410 M=10.


>= 0.1% - < 0.25% 2,6-DI-TERT-BUTYL-P-CRESOL

REACH No.: 01-2119565113-46, CAS: 128-37-0, EC: 204-881-4

-  4.1/A1 Aquatic Acute 1 H400 M=1.

 4.1/C1 Aquatic Chronic 1 H410

< 0,0015% METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE
Index number: 613-167-00-5, CAS: 55965-84-9, EC: 611-341-5

 3.1/2/Inhal Acute Tox. 2 H330

 3.1/2/Dermal Acute Tox. 2 H310

 3.1/3/Oral Acute Tox. 3 H301

 3.2/1B Skin Corr. 1B H314

 3.3/1 Eye Dam. 1 H318

 3.4.2/1 Skin Sens. 1 H317

 4.1/A1 Aquatic Acute 1 H400 M=100.

 4.1/C1 Aquatic Chronic 1 H410 M=100.

EUH071

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Safety Data Sheet

ESSENCE AUTUMN

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Keep away from food, drink and feed.

Incompatible materials:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

See section 10.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

4-TERT-BUTYLCYCLOHEXYLACETATE - CAS: 32210-23-4

ACGIH - TWA(8h): 713 mg/m³ - STEL(15min): 950 mg/m³ - Notes: TLV

2,6-DI-TERT-BUTYL-P-CRESOL - CAS: 128-37-0

ACGIH - TWA(8h): 2 mg/m³ - Notes: (IFV), A4 - URT irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

2,6-DI-TERT-BUTYL-P-CRESOL - CAS: 128-37-0

Worker Industry: 0.5 mg/kg - Consumer: 0.25 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/d

Worker Industry: 3.5 mg/m³ - Consumer: 0.86 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects - Notes: bw/d

Worker Industry: 0.5 mg/kg - Consumer: 0.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

2,6-DI-TERT-BUTYL-P-CRESOL - CAS: 128-37-0

Target: Marine water - Value: 0.0000199 mg/l

Target: Fresh Water - Value: 0.000199 mg/l

Target: Marine water sediments - Value: 0.00996 mg/kg

Target: Freshwater sediments - Value: 0.0996 mg/kg

Target: Air - Value: 0.000199 mg/l

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Slightly opalescent liquid, colorless/yellow	Visual	--
Odour:	Fresh	Olfactory	--
Odour threshold:	Evident	Olfactory	--
pH:	5,5 +/- 1	Instrumental control	--
Melting point / freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Initial boiling point and boiling range:	>= 100 °C	--	Estimated value on chemical / physical properties of components
Flash point:	> 60 °C	--	Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant	--	Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant	--	Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant	--	Parameter not relevant for the type of product
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Vapour density:	Not Relevant	--	Parameter not relevant for the type of product
Relative density:	1.014 g/ml	Instrumental control	--
Solubility in water:	Total	--	Internal tests
Solubility in oil:	Partial	--	Internal tests
Partition coefficient (n-octanol/water):	< 1000	--	Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Viscosity:	< 10 cP	--	Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant	--	Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant	--	Parameter not relevant for product composition.

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant	--	Parameter not relevant for the type of product

Fat Solubility:	Not Relevant	--	Parameter not relevant for the type of product
Conductivity:	Not Relevant	--	Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant	--	Parameter not relevant for the type of product

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

ESSENCE AUTUMN

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Safety Data Sheet
ESSENCE AUTUMN

- Based on available data, the classification criteria are not met
- h) STOT-single exposure
 - Not classified
 - Based on available data, the classification criteria are not met
 - i) STOT-repeated exposure
 - Not classified
 - Based on available data, the classification criteria are not met
 - j) aspiration hazard
 - Not classified
 - Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:
Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.
- HEXYL CINNAMAL - CAS: 101-86-0
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Mouse = 2300 mg/kg
 - Test: LC50 - Route: Inhalation - Species: Rat > 5 mg/l - Duration: 4h
- BENZYL SALICYLATE - CAS: 118-58-1
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat = 2227 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit = 14150 mg/kg
- 1-(1,2,3,4,5,6,7,8-OCTAHYDRO-2,3,8,8-TETRAMETHYL-2-NAPHTHYL)ETHAN-1-ONE - CAS: 54464-57-2
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- 4-TERT-BUTYLCYCLOHEXYLACETATE - CAS: 32210-23-4
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rabbit = 3200 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit > 17600 mg/kg
 - Test: LC50 - Route: Inhalation - Species: Rat = 390 ppm - Duration: 4h
- D-LIMONENE - CAS: 5989-27-5
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat = 4400 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- HEXYL-2-HYDROXYBENZOATE - CAS: 6259-76-3
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg
- 2,6-DI-TERT-BUTYL-P-CRESOL - CAS: 128-37-0
- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 2930 mg/kg - Source: OECD 401
 - Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402
 - b) skin corrosion/irritation:
 - Test: Skin Irritant Negative
 - c) serious eye damage/irritation:
 - Test: Eye Irritant Negative
 - d) respiratory or skin sensitisation:
 - Test: Skin or Resp. Sensitization Negative
 - e) germ cell mutagenicity:
 - Test: Mutagenesis Negative
 - f) carcinogenicity:
 - Test: Carcinogenicity Negative
 - g) reproductive toxicity:
 - Test: NOAEL - Route: Oral - Species: Mouse = 100 mg/kg bw/d

Safety Data Sheet
ESSENCE AUTUMN

- i) STOT-repeated exposure:
Test: NOAEL - Species: Rat = 25 mg/kg bw/d - Notes: digestive, urogenital, glandular
METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9
- a) acute toxicity:
Test: LC50 - Route: Inhalation Dust - Species: Rat = 0.31 mg/l - Duration: 4h
- b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin Positive
- c) serious eye damage/irritation:
Test: Eye Corrosive Positive
- d) respiratory or skin sensitisation:
Test: Skin Sensitization - Route: Skin Positive

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.
Until the revision date of this document, are not available experimental data on the mixture.
Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ESSENCE AUTUMN

The product is classified: Aquatic Chronic 3 - H412

HEXYL CINNAMAL - CAS: 101-86-0

- a) Aquatic acute toxicity:
Endpoint: LC50 = 0.11 mg/l

4-TERT-BUTYLCYCLOHEXYLACETATE - CAS: 32210-23-4

- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 17 mg/l - Duration h: 96 - Notes: Pimephales promelas
Endpoint: EC50 - Species: Daphnia = 73 mg/l - Duration h: 24 - Notes: Daphnia magna
Endpoint: EC50 - Species: Algae = 320 mg/l - Duration h: 96 - Notes: Scenedesmus subspicatus

D-LIMONENE - CAS: 5989-27-5

- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 0.8 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia = 69.6 mg/l - Duration h: 48

HEXYL-2-HYDROXYBENZOATE - CAS: 6259-76-3

- a) Aquatic acute toxicity:
Endpoint: LC50 = 0.11 mg/l
Endpoint: EC50 = 0.11 mg/l

1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN; GALAXOLIDE;
(HHCB) - CAS: 1222-05-5

- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 0.1 mg/l
Endpoint: EC50 - Species: Daphnia = 0.1 mg/l
Endpoint: EC50 - Species: Algae = 0.1 mg/l

2,6-DI-TERT-BUTYL-P-CRESOL - CAS: 128-37-0

- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 0.199 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia = 0.48 mg/l - Duration h: 48
Endpoint: EC50 - Species: Algae = 0.758 mg/l - Duration h: 72
Endpoint: NOEC - Species: Daphnia = 0.15 mg/l

METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9

- a) Aquatic acute toxicity:

Safety Data Sheet

ESSENCE AUTUMN

Endpoint: LC50 - Species: Fish = 0.19 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2,6-DI-TERT-BUTYL-P-CRESOL - CAS: 128-37-0

Biodegradability: Non-readily biodegradable

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2,6-DI-TERT-BUTYL-P-CRESOL - CAS: 128-37-0

Bioaccumulation: Not bioaccumulative - Test: Log Pow - Partition coefficient 5.1

Bioaccumulation: Not bioaccumulative - Test: BCF - Bioconcentration factor 598.4 -

Notes: EPI-Suite, BCFWIN v2.17

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Safety Data Sheet

ESSENCE AUTUMN

- ADR-Environmental Pollutant: No
IMDG-Marine pollutant: No
- 14.6. Special precautions for user
Not applicable
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
None

Where applicable, refer to the following regulatory provisions :
Directive 2012/18/EU (Seveso III)
Regulation (EC) nr 648/2004 (detergents).
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
None

- 15.2. Chemical safety assessment
No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.
No Chemical Safety Assessment has been carried out for the mixture.
Substances for which a Chemical Safety Assessment has been carried out:
None

SECTION 16: Other information

Full text of phrases referred to in Section 3:
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H317 May cause an allergic skin reaction.
H411 Toxic to aquatic life with long lasting effects.
H315 Causes skin irritation.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
H330 Fatal if inhaled.

Safety Data Sheet
ESSENCE AUTUMN



H310 Fatal in contact with skin.
H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
EUH071 Corrosive to the respiratory tract.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.
EC0/10/20/50/100: Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS: European Inventory of Existing Commercial Chemical Substances.
GefStoffVO: Ordinance on Hazardous Substances, Germany.



Safety Data Sheet
ESSENCE AUTUMN

GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N	No Observed Adverse Effect Level(Repeated)/Concentration
OAEC:	
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

Safety Data Sheet
ESSENCE AUTUMN



ANNEX I

PROFESSIONAL PRODUCT TRIGGER – AIR FRESHENER

Title of exposure scenario	
Air freshener: Manual process	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC3 – Air care products
Description of activities/process considered on exposure scenario.	
Use following the use instruction as specified on the label.	
Frequency and duration	
Use phase	2/4 times a day, depending on the room size and condition.
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Liquid, ready to use.	
In section 2 of the SDS of product and on the label the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Do not damage or puncture the container. Follow instruction specified on the label or on SDS for storage and disposal consideration.	
Protection	
Avoid spray inhalation.	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment