


Safety Data Sheet ECOCAPS FLOOR MAXI ECOLABEL

Safety Data Sheet dated 22/2/2021, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
Mixture identification
Trade name: ECOCAPS FLOOR MAXI ECOLABEL
UFI: F373-30CE-E007-YVAR
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
Recommended use:
Concentrated detergent for hard surfaces.
Professional use (SU22) - Washing and cleaning products (PC35)
Uses advised against:
Different uses than recommended. Do not use in combination with other products.
- 1.3. Details of the supplier of the safety data sheet
Manufacturer:
SUTTER INDUSTRIES s.p.a. - Società con Unico Socio
15060 Borghetto Borbera (AL) Italia
Tel. +39 0143 631.1
Competent person responsible for the safety data sheet:
regulatory.affairs@sutter.it
- 1.4. Emergency telephone number
+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP)
 Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:
No other hazards

- 2.2. Label elements
Hazard pictograms:



- Warning
Hazard statements:
H319 Causes serious eye irritation.
Precautionary statements:
P264 Wash hands thoroughly after handling.
P280 Wear eye protection.
P337+P313 If eye irritation persists: Get medical advice/attention.
Special Provisions:
EUH210 Only for professional use. Safety data sheet available on request.
EUH208 Contains METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE.
May produce an allergic reaction.

Product contents:
non-ionic surfactants > 30 %
The product also contains: Perfumes
Preservatives: METHYLCHLOROISOTHIAZOLINONE,
METHYLISOTHIAZOLINONE

Special provisions according to Annex XVII of REACH and subsequent amendments:

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 25\% - < 30\%$ 2-(2-BUTOXYETHOXY)ETHANOL

REACH No.: 01-2119475104-44, Index number: 603-096-00-8, CAS: 112-34-5, EC: 203-961-6



3.3/2 Eye Irrit. 2 H319

$\geq 20\% - < 25\%$ DIPROPYLENE GLYCOL MONOMETHYL ETHER;
(2-METHOXYMETHYLETHOXY) PROPANOL

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2

Substance with a Union workplace exposure limit.

$\geq 15\% - < 20\%$ 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED

CAS: 166736-08-9



3.1/4/Oral Acute Tox. 4 H302



3.3/1 Eye Dam. 1 H318

Specific Concentration Limits:

$0\% \leq C < 10,01\%$: Eye Irrit. 2 H319

$C \geq 10,01\%$: Eye Dam. 1 H318

$\geq 10\% - < 12.5\%$ ALKYL POLYGLYCOL ETHER C8-10

CAS: 71060-57-6



3.3/1 Eye Dam. 1 H318

$\geq 7\% - < 10\%$ OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER

CAS: 9038-95-3



3.1/4/Oral Acute Tox. 4 H302

$\geq 7\% - < 10\%$ ALKOXYLATED FATTY ALCOHOL



3.3/2 Eye Irrit. 2 H319

$\geq 0.5\% - < 1\%$ TRIETHANOLAMINE

REACH No.: 01-2119486482-31, CAS: 102-71-6, EC: 203-049-8

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

Substance with a Union workplace exposure limit.

< 0.0015% METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE

Index number: 613-167-00-5, CAS: 55965-84-9, EC: 611-341-5

-  3.1/2/Inhal Acute Tox. 2 H330
-  3.1/2/Dermal Acute Tox. 2 H310
-  3.1/3/Oral Acute Tox. 3 H301
-  3.2/1B Skin Corr. 1B H314
-  3.3/1 Eye Dam. 1 H318
-  3.4.2/1A Skin Sens. 1A H317
-  4.1/A1 Aquatic Acute 1 H400 M=100.
-  4.1/C1 Aquatic Chronic 1 H410 M=100.

EUH071

Specific Concentration Limits:

C >= 0,6%: Skin Corr. 1B H314

0,06% <= C < 0.6%: Skin Irrit. 2 H315

0,06% <= C < 0.6%: Eye Irrit. 2 H319

C >= 0,0015%: Skin Sens. 1A H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Skin and eye irritation for contact

Irritation interior system if swallowed.

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

Until revision date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Store away from heat sources.

Do not store in open or unlabeled containers.

Keep away from food, drink and feed.

Incompatible materials:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

EU - TWA(8h): 67.5 mg/m³, 10 ppm - STEL: 101.2 mg/m³, 15 ppm

ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m³, 50 ppm - Notes: Skin

ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye, URT irr - CNS impair

Dow IHG - TWA(8h): 10 ppm - STEL: 30 ppm - Notes: Skin

TRIETHANOLAMINE - CAS: 102-71-6

EU - TWA(8h): 5 mg/m³

ACGIH - TWA(8h): 5 mg/m³ - Notes: Eye and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

Worker Industry: 67.5 mg/m³ - Consumer: 40.5 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 83 mg/kg - Consumer: 50 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 101.2 mg/m³ - Consumer: 60.7 mg/m³ - Exposure: Human Inhalation - Frequency: Short Term, local effects

Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Worker Industry: 283 mg/kg - Consumer: 121 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 308 mg/m³ - Consumer: 37.2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 36 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

TRIETHANOLAMINE - CAS: 102-71-6

Worker Industry: 6.3 mg/kg - Consumer: 3.1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/d

Worker Industry: 5 mg/m³ - Consumer: 1.25 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 13 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/d

Worker Industry: 5 mg/m³ - Consumer: 1.25 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

Target: Marine water - Value: 0.11 mg/l

Target: Marine water sediments - Value: 0.44 mg/kg

Target: Microorganisms in sewage treatments - Value: 200 mg/l

Target: Soil (agricultural) - Value: 0.32 mg/kg

Target: Food chain - Value: 56 mg/kg

Target: Fresh Water - Value: 1.1 mg/l

Target: Freshwater sediments - Value: 4.4 mg/kg

Target: Air - Value: 11 mg/l

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Target: Marine water - Value: 1.9 mg/l

Target: Fresh Water - Value: 19 mg/l

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Marine water sediments - Value: 7.02 mg/kg

Target: Freshwater sediments - Value: 70.2 mg/kg

Target: Soil (agricultural) - Value: 2.74 mg/kg

TRIETHANOLAMINE - CAS: 102-71-6

Target: Microorganisms in sewage treatments - Value: 10 mg/l

Target: Marine water - Value: 0.032 mg/l

Target: Soil (agricultural) - Value: 0.151 mg/kg

Target: Marine water sediments - Value: 0.17 mg/l

Target: Freshwater sediments - Value: 1.7 mg/kg

Target: Fresh Water - Value: 0.32 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Safety Data Sheet
ECOCAPS FLOOR MAXI ECOLABEL

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	--
Colour:	green	Visual	--
Odour:	Citrus	Olfactory	--
Odour threshold:	Evident	Olfactory	--
Melting point/freezing point:	Not Relevant	--	Parameter not relevant for the type of product
Boiling point or initial boiling point and boiling range:	>=100°C	--	Estimated value on chemical / physical properties of components
Flammability:	non-flammable	--	Estimated parameter on chemical / physical properties of components.
Lower and upper explosion limit:	Not Relevant	--	Parameter not relevant for the type of product
Flash point:	>60 ° C	--	Estimated value on chemical / physical properties of components
Auto-ignition temperature:	Not Relevant	--	Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant	--	Parameter not relevant for the type of product
pH:	8,5 +/- 0,5 (sol. 3%)	Instrumental control	--
Kinematic viscosity:	Not Relevant	--	Parameter not relevant. Not viscous mixture.
Solubility in water:	Total	--	Internal tests
Solubility in oil:	Partial	--	Internal tests
Partition coefficient n-octanol/water (log value):	<1000	--	Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant	--	Parameter not relevant for the type of product
Density and/or relative density:	0.984 g/ml	Instrumental control	--
Relative vapour density:	Not Relevant	--	Parameter not relevant for the type of product

Particle characteristics:

Particle size (average and range)	Not Relevant	--	Parameter not relevant for the type of product
-----------------------------------	--------------	----	--

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Do not use in combination with other products.
 - Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.2. Chemical stability
 - Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions
 - Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
 - See also section 7.2.
- 10.4. Conditions to avoid
 - Avoid direct sunlight and exposure to heat sources.
 - Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
- 10.5. Incompatible materials
 - Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
- 10.6. Hazardous decomposition products
 - Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
 - Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

ECOCAPS FLOOR MAXI ECOLABEL

- a) acute toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
- b) skin corrosion/irritation
 - Not classified
 - Based on available data, the classification criteria are not met
- c) serious eye damage/irritation
 - The product is classified: Eye Irrit. 2 H319
- d) respiratory or skin sensitisation
 - Not classified
 - Based on available data, the classification criteria are not met
- e) germ cell mutagenicity
 - Not classified
 - Based on available data, the classification criteria are not met
- f) carcinogenicity
 - Not classified
 - Based on available data, the classification criteria are not met
- g) reproductive toxicity
 - Not classified
 - Based on available data, the classification criteria are not met
- h) STOT-single exposure
 - Not classified
 - Based on available data, the classification criteria are not met
- i) STOT-repeated exposure
 - Not classified

Safety Data Sheet
ECOCAPS FLOOR MAXI ECOLABEL

Based on available data, the classification criteria are not met

- j) aspiration hazard
Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Mouse = 2410 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg
 - Test: LC50 - Route: Inhalation Vapour - Species: Rat > 29 ppm - Duration: 2h
- b) skin corrosion/irritation:
 - Test: Skin Irritant No - Source: OECD 404
- c) serious eye damage/irritation:
 - Test: Eye Irritant Yes - Source: OECD 405
- d) respiratory or skin sensitisation:
 - Test: Skin or Resp. Sensitization Negative
- e) germ cell mutagenicity:
 - Test: Mutagenesis Negative
- f) carcinogenicity:
 - Test: Carcinogenicity Negative
- g) reproductive toxicity:
 - Test: Reproductive Toxicity Negative

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg
 - Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg
 - Test: LC50 - Route: Inhalation - Species: Rat = 3.35 mg/l - Duration: 7h
- b) skin corrosion/irritation:
 - Test: Skin Irritant Negative
- c) serious eye damage/irritation:
 - Test: Eye Irritant Negative
- d) respiratory or skin sensitisation:
 - Test: Skin or Resp. Sensitization Negative

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9

- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat = 500 mg/kg
- b) skin corrosion/irritation:
 - Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404
- c) serious eye damage/irritation:
 - Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405
- d) respiratory or skin sensitisation:
 - Test: Skin or Resp. Sensitization Negative - Source: OECD 406
- e) germ cell mutagenicity:
 - Test: Mutagenesis Negative - Source: Ames test

ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6

- a) acute toxicity:
 - Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: OECD 401
 - Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402
- b) skin corrosion/irritation:
 - Test: Skin Irritant Negative
- c) serious eye damage/irritation:
 - Test: Eye Corrosive Positive
- d) respiratory or skin sensitisation:

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

- Test: Skin or Resp. Sensitization Negative
- e) germ cell mutagenicity:
Test: Mutagenesis Negative - Source: OECD 471
- g) reproductive toxicity:
Test: Reproductive Toxicity Negative
- OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 500 mg/kg
- b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin Negative - Source: OECD 404
- c) serious eye damage/irritation:
Test: Eye Irritant Negative - Source: OECD 405
- TRIETHANOLAMINE - CAS: 102-71-6
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 6400 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
Test: LC0 - Route: Inhalation - Species: Rat = 1.8 mg/m³ - Duration: 8h
- b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Negative
- c) serious eye damage/irritation:
Test: Eye Irritant - Species: Rabbit Negative
- d) respiratory or skin sensitisation:
Test: Skin or Resp. Sensitization Negative
- e) germ cell mutagenicity:
Test: Mutagenesis Negative
- f) carcinogenicity:
Test: NOAEL - Route: Skin - Species: Rat = 250 mg/kg bw/d - Source: OCSE 451 -
Notes: 103 weeks (daily, 5 days/week)
- METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9
- a) acute toxicity:
Test: LC50 - Route: Inhalation Dust - Species: Rat = 0.31 mg/l - Duration: 4h
- b) skin corrosion/irritation:
Test: Skin Corrosive - Route: Skin Positive
- c) serious eye damage/irritation:
Test: Eye Corrosive Positive
- d) respiratory or skin sensitisation:
Test: Skin Sensitization - Route: Skin Positive

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration \geq 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Until the revision date of this document, are not available experimental data on the mixture.

Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ECOCAPS FLOOR MAXI ECOLABEL

Not classified for environmental hazards

Based on available data, the classification criteria are not met

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Safety Data Sheet
ECOCAPS FLOOR MAXI ECOLABEL

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 1995 mg/l - Duration h: 0.5

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata

Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata

Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 4168 mg/l - Duration h: 18 - Notes: Pseudomonas putida

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10 mg/l - Duration h: 96 - Notes: Brachydanio rerio

Endpoint: EC50 - Species: Daphnia > 10 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 10 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: EC10 - Species: Algae > 1 mg/l - Notes: Desmodesmus subspicatus

ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: EC0 - Species: Microorganisms / Effect on activated sludge: > 100 mg/l

e) Plant toxicity:

Endpoint: EC10 - Species: Algae = 1 mg/l - Duration h: 96

OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Brachydanio rerio

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

TRIETHANOLAMINE - CAS: 102-71-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 48 - Notes: Leuciscus idus

Endpoint: EC50 - Species: Daphnia = 609.88 mg/l - Duration h: 48 - Notes: Ceriodaphnia dubia

Endpoint: EC50 - Species: Algae = 512 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia = 16 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: IC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l - Duration h: 3

- d) Terrestrial toxicity:
Endpoint: LC50 = 33300 mg/l - Duration h: 72 - Notes: Drosophila melanogaster
METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9
- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 0.19 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss
Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48
Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

Biodegradability: Readily biodegradable - Test: OECD 301C - Duration: 28 days - %: 80-90

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Biodegradability: Readily biodegradable - Duration: 28 days - %: 75 - Notes: OECD 301F

2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: >60

ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6

Biodegradability: Readily biodegradable

OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3

Biodegradability: Readily biodegradable - Test: Biochemical oxygen demand - Duration: 28 days - Notes: >60%

ALKOXYLATED FATTY ALCOHOL

Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days - Notes: >60% BOD del ThOD

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient 0.56

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentration factor - Notes: < 100

ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6

Bioaccumulation: Not bioaccumulative

ALKOXYLATED FATTY ALCOHOL

Bioaccumulation: Not bioaccumulative

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration \geq 0.1%

12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

Where applicable, refer to the following regulatory provisions :

- Directive 2012/18/EU (Seveso III)
- Regulation (EC) nr 648/2004 (detergents).
- Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

- Seveso III category according to Annex 1, part 1
- None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H319 Causes serious eye irritation.
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H310 Fatal in contact with skin.
- H301 Toxic if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- H315 Causes skin irritation.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.



Safety Data Sheet

ECOCAPS FLOOR MAXI ECOLABEL

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/NOAEC:	No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

Safety Data Sheet
ECOCAPS FLOOR MAXI ECOLABEL



ANNEX I

PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process.	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Washing and cleaning products (including solvent based products)
Description of activities/process considered on exposure scenario.	
Dilute with water as specified on the label, if necessary.	
Use following the use instruction as specified on the label.	
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	- 1 time a day for daily cleaning detergents - Periodical for specific detergents
Relevant limit values of ingredients, if available, are stated in section 8 of the SDS.	
Physical appearance and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the label, the classification of mixture is provided.	
Mixture classification is based on ingredients classification and on chemical/physical properties stated in section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient.	
Protection	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water and dry.	
See section 6 of the SDS in case of accidental release	
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental release	
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.	
See section 13 of the SDS for disposal considerations.	

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment