

Safety Data Sheet dated 22/2/2021, version 2

SECTION 1: Identification of th	e substance/mixture and of the company/undertaking		
1.1. Product identifier	· · · · · · · · · · · · · · · · · · ·		
Mixture identification			
Trade name:	ECOCAPS FLOOR ECOLABEL		
UFI: F373-30CE-E007-	YVAR		
1.2. Relevant identified uses of	f the substance or mixture and uses advised against		
Recommended use:	Ŭ		
Concentrated detergent	for hard surfaces.		
) - Washing and cleaning products (PC35)		
Uses advised against:			
	mmended. Do not use in combination with other products.		
1.3. Details of the supplier of t			
Manufacturer:			
SUTTER INDUSTRIES	s.p.a Società con Unico Socio		
15060 Borghetto Borbe			
Tel. +39 0143 631.1			
Competent person responsible	e for the safety data sheet:		
regulatory.affairs@sutte			
1.4. Emergency telephone nur			
+39 0143 631.1 mon-fri			
SECTION 2: Hazards identificat	ion		
2.1. Classification of the subst			
EC regulation criteria 1272/20	08 (CLP)		
· •	2, Causes serious eye irritation.		
Vvanning, Eye init.	z, Causes senous eye imalion.		
Adverse physicochemical bur	nan health and environmental effects:		
No other hazards	nan nealth and environmental encets.		
2.2. Label elements			
Hazard pictograms:			
Warning			
Hazard statements:			
H319 Causes serious e	ye irritation.		
Precautionary statements:			
P264 Wash hands thore	P264 Wash hands thoroughly after handling.		
P280 Wear eye protection. P337+P313 If eye irritation persists: Get medical advice/attention.			
EUH210 Only for profes	sional use. Safety data sheet available on request.		
EUH208 Contains MET	HYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE.		
May produce an allergic	reaction.		
Product contents:			
non-ionic surfactants	> 30 %		
The product also contains:	Perfumes		
Preservatives:	METHYLCHLOROISOTHIAZOLINONE,		
	METHYLISOTHIAZOLINONE		
Special provisions according t	o Annex XVII of REACH and subsequent amendments:		

Special provisions according to Annex XVII of REACH and subsequent amendments:

56487CLP/2 Page n. 1 of16



None

2.3. Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances Not Applicable, the product is a mixture. 3.2. Mixtures Hazardous components within the meaning of the CLP regulation and related classification: >= 25% - < 30% 2-(2-BUTOXYETHOXY)ETHANOL REACH No.: 01-2119475104-44, Index number: 603-096-00-8, CAS: 112-34-5, EC: 203-961-6 3.3/2 Eye Irrit. 2 H319 >= 20% - < 25% DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2 Substance with a Union workplace exposure limit. >= 15% - < 20% 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED CAS: 166736-08-9 $\langle \rangle$ 3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318 **Specific Concentration Limits:** 0% <= C < 10,01%: Eye Irrit. 2 H319 C >= 10,01%: Eye Dam. 1 H318 >= 10% - < 12.5% ALKYL POLYGLYCOL ETHER C8-10 CAS: 71060-57-6 🍄 3.3/1 Eye Dam. 1 H318 >= 7% - < 10% OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER CAS: 9038-95-3 3.1/4/Oral Acute Tox. 4 H302 >= 7% - < 10% ALKOXYLATED FATTY ALCOHOL 3.3/2 Eye Irrit. 2 H319

> >= 0.5% - < 1% TRIETHANOLAMINE REACH No.: 01-2119486482-31, CAS: 102-71-6, EC: 203-049-8

56487CLP/2 Page n. 2 of16



Substance with a Union workplace exposure limit.

< 0.0015% METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE Index number: 613-167-00-5, CAS: 55965-84-9, EC: 611-341-5

3.1/2/Inhal Acute Tox. 2 H330

3.1/2/Dermal Acute Tox. 2 H310

3.1/3/Oral Acute Tox. 3 H301

🤨 3.2/1B Skin Corr. 1B H314

🤣 3.3/1 Eye Dam. 1 H318

3.4.2/1A Skin Sens. 1A H317

4.1/A1 Aquatic Acute 1 H400 M=100.

4.1/C1 Aquatic Chronic 1 H410 M=100.

EUH071

Specific Concentration Limits: C >= 0,6%: Skin Corr. 1B H314 0,06% <= C < 0.6%: Skin Irrit. 2 H315 0,06% <= C < 0.6%: Eye Irrit. 2 H319 C >= 0,0015%: Skin Sens. 1A H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Skin and eye irritation for contact

Irritation interior system if swallowed.

56487CLP/2 Page n. 3 of16



Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - For non emergency personnel: Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. For emergency responders: Wear personal protection equipment.
- 6.2. Environmental precautions
 Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
 Retain contaminated washing water and dispose it.
 In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

56487CLP/2 Page n. 4 of16



Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. 7.2. Conditions for safe storage, including any incompatibilities Store away from sunlight. Store in a cool and well ventilated place. Store away from heat sources. Do not store in open or unlabeled containers. Keep away from food, drink and feed. Incompatible materials: Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular, see paragraph 1.2 **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2. 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 EU - TWA(8h): 67.5 mg/m3, 10 ppm - STEL: 101.2 mg/m3, 15 ppm ACGIH - TWA(8h): 10 ppm - Notes: (IFV) - Hematologic, liver and kidney eff DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8 EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye, URT irr - CNS impair Dow IHG - TWA(8h): 10 ppm - STEL: 30 ppm - Notes: Skin TRIETHANOLAMINE - CAS: 102-71-6 EU - TWA(8h): 5 mg/m3 ACGIH - TWA(8h): 5 mg/m3 - Notes: Eye and skin irr **DNEL Exposure Limit Values** Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2. 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Worker Industry: 67.5 mg/m3 - Consumer: 40.5 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects Worker Industry: 83 mg/kg - Consumer: 50 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects

Worker Industry: 101.2 mg/m3 - Consumer: 60.7 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Consumer: 1.25 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Worker Industry: 283 mg/kg - Consumer: 121 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 308 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 36 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects



TRIETHANOLAMINE - CAS: 102-71-6 Worker Industry: 6.3 mg/kg - Consumer: 3.1 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects - Notes: bw/d Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects Consumer: 13 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/d Worker Industry: 5 mg/m3 - Consumer: 1.25 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, local effects **PNEC Exposure Limit Values** Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2. 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Target: Marine water - Value: 0.11 mg/l Target: Marine water sediments - Value: 0.44 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l Target: Soil (agricultural) - Value: 0.32 mg/kg Target: Food chain - Value: 56 mg/kg Target: Fresh Water - Value: 1.1 mg/l Target: Freshwater sediments - Value: 4.4 mg/kg Target: Air - Value: 11 mg/l DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8 Target: Marine water - Value: 1.9 mg/l Target: Fresh Water - Value: 19 mg/l Target: Microorganisms in sewage treatments - Value: 4168 mg/l Target: Marine water sediments - Value: 7.02 mg/kg Target: Freshwater sediments - Value: 70.2 mg/kg Target: Soil (agricultural) - Value: 2.74 mg/kg TRIETHANOLAMINE - CAS: 102-71-6 Target: Microorganisms in sewage treatments - Value: 10 mg/l Target: Marine water - Value: 0.032 mg/l Target: Soil (agricultural) - Value: 0.151 mg/kg Target: Marine water sediments - Value: 0.17 mg/l Target: Freshwater sediments - Value: 1.7 mg/kg Target: Fresh Water - Value: 0.32 mg/l 8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens.(EN 166) Protection for skin: Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust) Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes). Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2. Respiratory protection: Not needed for normal use. Thermal Hazards: The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:	
Physical state:	Liquid	Visual		
Colour:	green	Visual		
Odour:	Citrus	Olfactory		
Odour threshold:	Evident	Olfactory		
Melting point/freezing	Not Relevant		Parameter not relevant for the	
point:			type of product	
Boiling point or initial	>=100°C		Estimated value on chemical /	
boiling point and boiling			physical properties of	
range:			components	
Flammability:	non-flammabl		Estimated parameter on	
	е		chemical / physical properties of	
			components.	
Lower and upper explosion	Not Relevant		Parameter not relevant for the	
limit:			type of product	
Flash point:	>60 ° C		Estimated value on chemical /	
			physical properties of	
			components	
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the	
			type of product	
Decomposition	Not Relevant		Parameter not relevant for the	
temperature:			type of product	
pH:	8,5 +/- 0,5	Instrumental		
	(sol. 3%)	control		
Kinematic viscosity:	Not Relevant		Parameter not relevant. Not	
			viscous mixture.	
Solubility in water:	Total		Internal tests	
Solubility in oil:	Partial		Internal tests	
Partition coefficient	<1000		Value estimated based on the	
n-octanol/water (log value):			solubility of the mixture.	
Vapour pressure:	Not Relevant		Parameter not relevant for the	
			type of product	
Density and/or relative	0.984 g/ml	Instrumental		
density:		control		
Relative vapour density:	Not Relevant		Parameter not relevant for the	
	_		type of product	
Particle characteristics:				
Particle size (average and	Not Relevant		Parameter not relevant for the	
range)			type of product	

9.2. Other information

No other relevant information

56487CLP/2 Page n. 7 of16



SECTION 10: Stability and reactivity

10.1. Reactivity

Do not use in combination with other products.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- 10.2. Chemical stability Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

- 10.4. Conditions to avoid Avoid direct sunlight and exposure to heat sources.
 Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2
- 10.5. Incompatible materials Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.
- 10.6. Hazardous decomposition products Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

ECOCAPS FLOOR ECOLABEL

- a) acute toxicity
 - Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met c) serious eye damage/irritation

The product is classified: Eye Irrit. 2 H319

- d) respiratory or skin sensitisation
 - Not classified

Based on available data, the classification criteria are not met

- e) germ cell mutagenicity
 - Not classified

Based on available data, the classification criteria are not met f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

- h) STOT-single exposure
 - Not classified

Based on available data, the classification criteria are not met i) STOT-repeated exposure

Not classified

56487CLP/2 Page n. 8 of16



Based on available data, the classification criteria are not met j) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Mouse = 2410 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 2764 mg/kg Test: LC50 - Route: Inhalation Vapour - Species: Rat > 29 ppm - Duration: 2h b) skin corrosion/irritation: Test: Skin Irritant No - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant Yes - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative f) carcinogenicity: Test: Carcinogenicity Negative g) reproductive toxicity: Test: Reproductive Toxicity Negative DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg Test: LC50 - Route: Inhalation - Species: Rat = 3.35 mg/l - Duration: 7h b) skin corrosion/irritation: Test: Skin Irritant Negative c) serious eye damage/irritation: Test: Eye Irritant Negative d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 500 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative - Source: OECD 406 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames test ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: OECD 401 Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402 b) skin corrosion/irritation: Test: Skin Irritant Negative c) serious eye damage/irritation: Test: Eye Corrosive Positive d) respiratory or skin sensitisation:



Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: OECD 471 g) reproductive toxicity: Test: Reproductive Toxicity Negative OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 500 mg/kg b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin Negative - Source: OECD 404 c) serious eye damage/irritation: Test: Eye Irritant Negative - Source: OECD 405 TRIETHANOLAMINE - CAS: 102-71-6 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 6400 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC0 - Route: Inhalation - Species: Rat = 1.8 mg/m3 - Duration: 8h b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Negative d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative f) carcinogenicity: Test: NOAEL - Route: Skin - Species: Rat = 250 mg/kg bw/d - Source: OCSE 451 -Notes: 103 weeks (daily, 5 days/week) METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9 a) acute toxicity: Test: LC50 - Route: Inhalation Dust - Species: Rat = 0.31 mg/l - Duration: 4h b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin Positive c) serious eye damage/irritation: Test: Eye Corrosive Positive d) respiratory or skin sensitisation: Test: Skin Sensitization - Route: Skin Positive

11.2. Information on other hazards
 Endocrine disrupting properties:
 No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ECOCAPS FLOOR ECOLABEL

Not classified for environmental hazards

Based on available data, the classification criteria are not met

2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

56487CLP/2 Page n. 10 of16



Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 1995 mg/l -Duration h: 0.5 DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL -CAS: 34590-94-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 96 - Notes: Pseudokirchneriella subcapitata Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 4168 mg/l -Duration h: 18 - Notes: Pseudomonas putida 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 10 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia > 10 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 10 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus Endpoint: EC10 - Species: Algae > 1 mg/l - Notes: Desmodesmus subspicatus ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 c) Bacteria toxicity: Endpoint: EC0 - Species: Microorganisms / Effect on activated sludge: > 100 mg/l e) Plant toxicity: Endpoint: EC10 - Species: Algae = 1 mg/l - Duration h: 96 OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus TRIETHANOLAMINE - CAS: 102-71-6 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 10000 mg/l - Duration h: 48 - Notes: Leuciscus idus Endpoint: EC50 - Species: Daphnia = 609.88 mg/l - Duration h: 48 - Notes: Ceriodaphnia dubia Endpoint: EC50 - Species: Algae = 512 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 16 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: IC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l -Duration h: 3

56487CLP/2 Page n. 11 of16



d) Terrestrial toxicity: Endpoint: LC50 = 33300 mg/l - Duration h: 72 - Notes: Drosophila melanogaster METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE - CAS: 55965-84-9 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 0.19 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.018 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum 12.2. Persistence and degradability Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Biodegradability: Readily biodegradable - Test: OECD 301C - Duration: 28 days - %: 80-90 DIPROPYLENE GLYCOL MONOMETHYL ETHER: (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8 Biodegradability: Readily biodegradable - Duration: 28 days - %: 75 - Notes: OECD 301F 2-PROPYLHEPTANOL ETHOXYLATED PROPOXYLATED - CAS: 166736-08-9 Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: >60 ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6 Biodegradability: Readily biodegradable OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER - CAS: 9038-95-3 Biodegradability: Readily biodegradable - Test: Biochemical oxigen demand - Duration: 28 days - Notes: >60% ALKOXYLATED FATTY ALCOHOL Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days -Notes: >60% BOD del ThOD The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer. 12.3. Bioaccumulative potential Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. 2-(2-BUTOXYETHOXY)ETHANOL - CAS: 112-34-5 Bioaccumulation: Not bioaccumulative - Test: Kow - Partition coefficient 0.56 DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8 Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor -Notes: < 100 ALKYL POLYGLYCOL ETHER C8-10 - CAS: 71060-57-6 Bioaccumulation: Not bioaccumulative ALKOXYLATED FATTY ALCOHOL Bioaccumulation: Not bioaccumulative 12.4. Mobility in soil Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8



Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

- vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6.

SECTION 14: Transport information

14.1. UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name Not applicable
- 14.3. Transport hazard class(es) Not applicable
- 14.4. Packing group Not applicable
- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user Not applicable
- 14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

56487CLP/2 Page n. 13 of16



Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out: None

SECTION 16: Other information

Full text of phrases referred to in Section 3: H319 Causes serious eye irritation. H302 Harmful if swallowed. H318 Causes serious eye damage. H330 Fatal if inhaled. H310 Fatal in contact with skin.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

H315 Causes skin irritation.

Hazard class and	Code	Description
hazard category		
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.



Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van

Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test population.
EINECS:	European Inventory of Existing Commercial Chemical
	Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation
	Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/NOAEC:	No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous
	Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



ANNEX I

PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario	
Detergent for general cleaning: Manual process).
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Washing and cleaning products (including
3 <i>i</i>	solvent based products)
Description of activities/process considered	on exposure scenario.
Diluite with water as specified on the label, if ne	cessary.
Use following the use instruction as specified or	n the label.
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	 1 time a day for daily cleaning detergents
	 Periodical for specific detergents
Relevant limit values of ingredients, if available,	are stated in section 8 of the SDS.
Physical appearence and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the la	
	assification and on chemical/physical properties stated in
section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficient	ent.
Protection	1
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is
information on PPE.	supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water a	
See section 6 of the SDS in case of accidental r	
	or on technical sheet. Use good occupational hygiene
practices as specified in section 7 on the SDS. Environmental measures	
See section 6 of the SDS in case of accidental r	
	nformation of mixture and dangerous ingredients.
See section 13 of the SDS for disposal consider	10110115.

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment