


OXIPUR ACTION KIT



STAIN REMOVERS AND PRETREATERS KIT

- Suitable for the pre- and post- stain removal phases
- Suitable to be used both in professional and industrial laundries
- Optimized to be used with the Oxipur system products in order to decrease the rewashings



Complete kit of stain removers and pretreaters, specific for every kind of stains, composed by:

- n.1 DEG ACTION: for greasy and protein stains
- n.2 MULTI ACTION: for tough coloured stains such as make-up, adhesives, ink and lipstick.
- n.2 RUST ACTION: for rust, verdigris and metal oxides stains
- n.1 STAIN ACTION: for bleachable coloured stains
- n.1 Brush
- n.2 "Stain-Product" matching sheet



OXIPUR ACTION KIT

❓ HOW TO USE

The products can be used on most fabrics made of cotton, polyester, cotton/polyester, wool, silk and viscose. Ideal for removing stains that cannot normally be removed through mechanical washing, in order to decrease the rewashings.

Apply the product directly onto the stain. Let it work (*), then wash with the cycle suitable for the type of fabric. In the case of particularly tough stains, repeat the operation and rub with a brush.

(*)

- DEG ACTION: 5-10 minutes;
- MULTI ACTION: 5-10 minutes;
- RUST ACTION: at least 15 minutes;
- STAIN ACTION: at least 15 minutes."



📄 DILUTION

Ready to use.

OXIPUR ACTION KIT

! WARNINGS

DEG ACTION: Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection. IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Contents ALCOHOLS, C13-15 BRANCHED AND LINEARS, ETHOXYLATED; OXIRANE, METHYL-, POLYMER WITH OXIRANE, MONOBUTYL ETHER; POLICARBOXYLATE, SODIUM SALT; 2-PHENOXYETHANOL.

**DANGER**

MULTI ACTION: Harmful if swallowed. Causes serious eye damage. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection. IF SWALLOWED: Call a POISON CENTRE/doctor/... if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Contains ISOTRIDECANOL ETHOXYLATED, 2-PHENOXYETHANOL.

**DANGER**

RUST ACTION: Causes severe skin burns and eye damage. Wear protective gloves and eye/face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Contains HYDROXYETHYLIDENEDIPHOSPHONIC ACID, OXALIC ACID, 2-AMINOETHANOL.

**DANGER**

STAIN ACTION: Causes serious eye irritation. Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**WARNING**

📖 NOTES

If treating delicate or coloured items, before using, check for colour fastness on a hidden area of fabric. Be particularly careful when using linen, polyamide, Lycra and acrylic fabrics. Store at room temperature. Do not decant the product from the original container. For further information, please contact the Sutter Professional technical service.

Sutter Professional cannot be considered liable for any damage due to improper product use.

Only for professional use. Safety data sheet available on request.

OXIPUR ACTION KIT

PACKAGING

Code	Size	Quantity	Pallet
5634	ml 500	6	25x4=100