

Safety Data Sheet dated 2/5/2021, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification Trade name:

XTRA-OXY

- UFI: 8MG3-60PQ-R007-FP14
- 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Washing and cleaning products (PC35) Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it

- 1.4. Emergency telephone number
 - +39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP)



Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.



Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements

Hazard pictograms:



Danger Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear protective gloves and eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

57113CLP/2 Page n. 1 of13



Contains HYDROGEN PEROXIDE Product contents: phosphonates, oxygen-based bleaching agents, non-ionic < 5 % surfactants Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances Not Applicable, the product is a mixture. 3.2. Mixtures Hazardous components within the meaning of the CLP regulation and related classification: >= 1% - < 3% HYDROGEN PEROXIDE REACH No.: 01-2119485845-22, Index number: 008-003-00-9, CAS: 7722-84-1, EC: 231-765-0 ۲ 2.13/1 Ox. Liq. 1 H271 3.3/1 Eye Dam. 1 H318 3.1/4/Oral Acute Tox. 4 H302 3.1/4/Inhal Acute Tox. 4 H332 3.2/1A Skin Corr. 1A H314 3.8/3 STOT SE 3 H335 4.1/C3 Aquatic Chronic 3 H412 **Specific Concentration Limits:** 5% <= C < 8%: Eye Irrit. 2 H319 8% <= C < 50%: Eye Dam. 1 H318 35% <= C < 50%: Skin Irrit. 2 H315 C >= 35%: STOT SE 3 H335 50% <= C < 70%: Ox. Lig. 2 H272 50% <= C < 70%: Skin Corr. 1B H314 C >= 63%: Aquatic Chronic 3 H412 C >= 70%: Ox. Liq. 1 H271 C >= 70%: Skin Corr. 1A H314 >= 1% - < 3% CITRIC ACID MONOHYDRATE REACH No.: 01-2119457026-42, CAS: 5949-29-1, EC: 201-069-1 3.3/2 Eye Irrit. 2 H319

57113CLP/2 Page n. 2 of13



SECTION 4: First aid measures

- 4.1. Description of first aid measures
- In case of skin contact:

Immediately take off all contaminated clothing.

- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.
- In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

- Protect uninjured eye.
- In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

- Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures For non emergency personnel: Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8. For emergency responders:



Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

- Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling

 Avoid contact with skin and eyes, inhalation of vapours and mists.
 Don't use empty container before they have been cleaned.
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
 See also section 8 for recommended protective equipment.
 Advice on general occupational hygiene:
 Contamined clothing should be changed before entering eating areas.
 Do not eat or drink while working.

 7.2. Conditions for safe storage, including any incompatibilities

 Store away from sunlight.
 Store in a cool and well ventilated place.
 - Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Do not store in open or unlabeled containers.

Store away from heat sources.

Keep away from food, drink and feed.

Incompatible materials:

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

ACGIH - TWA(8h): 1 ppm - Notes: A3 - Eye, URT, and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

57113CLP/2 Page n. 4 of13



Worker Industry: 3 mg/m3 - Consumer: 1.93 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 1.4 mg/m3 - Consumer: 0.21 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

Target: Fresh Water - Value: 0.0126 mg/l

Target: Marine water - Value: 0.0126 mg/l

Target: Air - Value: 0.0138 mg/l

Target: Microorganisms in sewage treatments - Value: 4.66 mg/l

Target: Soil (agricultural) - Value: 0.0023 mg/kg

Target: Marine water sediments - Value: 0.47 mg/kg

Target: Freshwater sediments - Value: 0.47 mg/kg

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

Target: Marine water - Value: 0.044 mg/l

Target: Fresh Water - Value: 0.44 mg/l

Target: Marine water sediments - Value: 34.6 mg/kg

Target: Freshwater sediments - Value: 3.46 mg/kg

Target: Soil (agricultural) - Value: 33.1 mg/kg

Target: Microorganisms in sewage treatments - Value: 1001 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your p

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

| SECTION 9: Ph | ysical and | chemical | properties |
|---------------|------------|----------|------------|
|---------------|------------|----------|------------|

9.1. Information on basic physical and chemical properties

| Properties | Value | Method: | Notes: |
|-----------------|------------|---------|--------|
| Physical state: | Liquid | Visual | |
| Colour: | colourless | Visual | |



| Odour: | Technical | Olfactory | |
|---|-------------------|----------------------|---|
| Odour threshold: | Evident | Olfactory | |
| Melting point/freezing point: | Not Relevant | | Parameter not relevant for the type of product |
| Boiling point or initial boiling point and boiling range: | >100°C | | Estimated value on chemical / physical properties of components |
| Flammability: | non-flammabl e | | Estimated parameter on chemical / physical properties of components. |
| Lower and upper explosion limit: | Not Relevant | | Parameter not relevant for the type of product |
| Flash point: | >60 ° C | | Estimated value on chemical / physical properties of components |
| Auto-ignition temperature: | Not Relevant | | Parameter not relevant for the type of product |
| Decomposition temperature: | Not Relevant | | Parameter not relevant for the type of product |
| pH: | <2,0 | Instrumental control | |
| Kinematic viscosity: | Not Relevant | | Parameter not relevant. Not viscous mixture. |
| Solubility in water: | Total | | Internal tests |
| Solubility in oil: | Partial | | Internal tests |
| Partition coefficient n-octanol/water (log value): | <1000 | | Value estimated based on the solubility of the mixture. |
| Vapour pressure: | Not Relevant | | Parameter not relevant for the type of product |
| Density and/or relative density: | 1.012 g/ml | Instrumental control | |
| Relative vapour density: | Not Relevant | | Parameter not relevant for the type of product |
| | Particle cha | racteristics: | |
| Particle size (average and range) | Not Relevant | | Parameter not relevant for the type of product |

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Do not use in combination with other products.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- 10.2. Chemical stability Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.
- 10.3. Possibility of hazardous reactions

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

57113CLP/2 Page n. 6 of13



See also scetion 7.2.

In normal conditions no dangerous reactions of the mixture

10.4. Conditions to avoid

Avoid direct sunlight and exposure to heat sources.

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

- 10.6. Hazardous decomposition products
 - Oxygen.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: **XTRA-OXY**

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met b) skin corrosion/irritation

The product is classified: Skin Corr. 1A H314

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met

- e) germ cell mutagenicity
 - Not classified

Based on available data, the classification criteria are not met f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

- g) reproductive toxicity
 - Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

- i) STOT-repeated exposure
 - Not classified

Based on available data, the classification criteria are not met j) aspiration hazard

Not classified

Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 431 mg/kg - Source: Expert judge

57113CLP/2 Page n. 7 of 13



Test: LD50 - Route: Skin - Species: Rabbit = 9200 mg/kg - Source: Literature b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin Positive c) serious eye damage/irritation: Test: Eye Corrosive Positive d) respiratory or skin sensitisation: Test: Skin Sensitization - Route: Skin Negative - Source: Literature CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 5400 mg/kg Test: LD50 - Route: Skin > 2000 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin IRR c) serious eye damage/irritation: Test: Eye Irritant Positive d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames Test 11.2. Information on other hazards Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1% **SECTION 12: Ecological information** 12.1. Toxicity Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. XTRA-OXY Not classified for environmental hazards Based on available data, the classification criteria are not met HYDROGEN PEROXIDE - CAS: 7722-84-1 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 16.4 mg/l - Duration h: 96 - Notes: Pimephales promelas Endpoint: EC50 - Species: Daphnia = 2.4 mg/l - Duration h: 48 - Notes: Daphnia pulex Endpoint: NOEC - Species: Algae = 0.63 mg/l - Duration h: 72 - Notes: Skeletonema costatum b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia = 0.63 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: = 466 mg/l -Duration h: 0.5 Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l -Duration h: 3 CITRIC ACID MONOHYDRATE - CAS: 5949-29-1 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 440 mg/l - Duration h: 48 - Notes: Leuciscus idus melanotus b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Algae = 425 mg/l - Duration h: 192 12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture.

57113CLP/2 Page n. 8 of13



Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

HYDROGEN PEROXIDE - CAS: 7722-84-1

Biodegradability: Readily biodegradable

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

Biodegradability: Readily biodegradable - Duration: 28 days - %: 97

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

CITRIC ACID MONOHYDRATE - CAS: 5949-29-1

Bioaccumulation: Slightly bioaccumulative - Test: Log Pow - Partition coefficient -1.67 12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

- 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

SECTION 14: Transport information

ADR-Class:



| 14.1. UN number or ID number | |
|----------------------------------|--|
| ADR-UN Number: | 1760 |
| IATA-UN Number: | 1760 |
| IMDG-UN Number: | 1760 |
| 14.2. UN proper shipping name | |
| ADR-Shipping Name: | CORROSIVE LIQUID, N.O.S.(HYDROGEN PEROXIDE) |
| IATA-Shipping Name: | CORROSIVE LIQUID, N.O.S.(HYDROGEN PEROXIDE) |
| IMDG-Shipping Name: | CORROSIVE LIQUID, N.O.S. (HYDROGEN PEROXIDE) |
| 14.3. Transport hazard class(es) | |



| ADR - Hazard identification nur | mber: 80 |
|--|-------------------------|
| IATA-Class: | 8 |
| IATA-Label: | 8 |
| IMDG-Class: | 8 |
| 14.4. Packing group | |
| ADR-Packing Group: | 111 |
| IATA-Packing group: | 111 |
| IMDG-Packing group: | 111 |
| 14.5. Environmental hazards | |
| ADR-Enviromental Pollutant: | No |
| IMDG-Marine pollutant: | No |
| IMDG-EmS: | F-A , S-B |
| 14.6. Special precautions for user | |
| ADR-Subsidiary hazards: | - |
| ADR-S.P.: | 274 |
| ADR-Transport category (Tunn | el restriction code): E |
| IATA-Passenger Aircraft: | 852 |
| IATA-Subsidiary hazards: | - |
| IATA-Cargo Aircraft: | 856 |
| IATA-S.P.: | A3 A803 |
| IATA-ERG: | 8L |
| IMDG-Subsidiary hazards: | - |
| IMDG-S.P.: | 223 274 |
| IMDG-Stowage and handling: | Category A SW2 |
| IMDG-Segregation: | - |
| 14.7. Maritime transport in bulk accord Not applicable | ding to IMO instruments |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

57113CLP/2 Page n. 10 of13



Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

- Substances for which a Chemical Safety Assessment has been carried out:
 - None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H271 May cause fire or explosion; strong oxidiser.

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H272 May intensify fire; oxidiser.

| Hazard class and hazard category | Code | Description |
|-------------------------------------|-------------|---|
| Ox. Liq. 1 | 2.13/1 | Oxidising liquid, Category 1 |
| Ox. Liq. 2 | 2.13/2 | Oxidising liquid, Category 2 |
| Acute Tox. 4 | 3.1/4/Inhal | Acute toxicity (inhalation), Category 4 |
| Acute Tox. 4 | 3.1/4/Oral | Acute toxicity (oral), Category 4 |
| Skin Corr. 1A | 3.2/1A | Skin corrosion, Category 1A |
| Skin Corr. 1B | 3.2/1B | Skin corrosion, Category 1B |
| Skin Irrit. 2 | 3.2/2 | Skin irritation, Category 2 |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |
| STOT SE 3 | 3.8/3 | Specific target organ toxicity - single exposure, Category 3 |
| Aquatic Chronic 3 | 4.1/C3 | Chronic (long term) aquatic hazard, category 3 |

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|----------------------------|
| Skin Corr. 1A, H314 | On basis of test data (pH) |
| Eye Dam. 1, H318 | On basis of test data (pH) |

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold



The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

| ADR: | European Agreement concerning the International Carriage of |
|-------------------|--|
| | Dangerous Goods by Road. |
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical |
| | Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EC0/10/20/50/100: | Effective concentration, for 0/10/20/50/100 percent of test |
| | population. |
| EINECS: | European Inventory of Existing Commercial Chemical |
| | Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of |
| | Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport |
| | Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation |
| | Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC0/10/20/50/100: | Lethal concentration, for 0/10/20/50/100 percent of test |
| | population. |
| LD0/10/20/50/100: | Lethal dose, for 0/10/20/50/100 percent of test population. |
| NOEC: | No Observed Effect Concentration |
| NOAEL(R)/NOAEC: | No Observed Adverse Effect Level(Repeated)/Concentration |
| OECD: | Organisation for Economic Co-operation and Development |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous |
| | Goods by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |
| WGK: | German Water Hazard Class. |



ANNEX I

PROFESSIONAL TRIGGER PRODUCT – DETERGENT FOR HARD SURFACES

| Title of exposure scenario | |
|---|--|
| Detergent for general cleaning: Manual process. | |
| Use description | |
| Sector Use | SU22 – Professional use |
| Product Category | PC35 – Washing and cleaning products (including |
| | solvent based products) |
| Description of activities/process considered o | |
| If required, transfer product from canister to trigge | |
| Use following the use instruction as specified on t | he label. |
| Leave on. | |
| Rinse, if necessary. | |
| Frequency and duration | |
| Use phase | Daily, depending on room size and room dirty |
| | conditions. |
| Relevant limit values of ingredients, if available, a | re stated in section 8 of the SDS. |
| Physical appearence and concentration | |
| Liquid. To diluite or ready to use. | |
| In section 2 of the SDS of product and on the labe | el the classification of mixture is provided. |
| | sification and on chemical/physical properties stated in |
| section 9 of the SDS of product. | |
| Use conditions | |
| Room temperature | |
| Good general ventilation at workplace is sufficient | t. |
| Protection | |
| Avoid spray inhalation. | Training of works to was and maintaneous of DDE is |
| See section 8 of the SDS of product to more information on PPE. | Training of worker to use and maintenance of PPE is |
| Don't eat or drink, don't smoke. | supposed. Avoid contact with damaged skin. |
| No open flame. | Do not use in combination with other products |
| Wash hand after use. | |
| In case of accidental release: dilute with water an | d dry |
| See section 6 of the SDS in case of accidental rel | |
| | on technical sheet. Use good occupational hygiene |
| practices as specified in section 7 on the SDS. | |
| Environmental measures | |
| See section 6 of the SDS in case of accidental rel | lease |
| See section 12 of the SDS for ecotoxicological in | |
| See section 13 of the SDS for disposal consider | |

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment