

Safety Data Sheet dated 20/2/2021, version 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification

Trade name: RATIO RB-3

UFI: YQ11-S0HS-Y00R-PVW3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Detergent for hard surfaces.

Professional use (SU22) - Washing and cleaning products (PC35)

Uses advised against:

Different uses than recommended. Do not use in combination with other products.

1.3. Details of the supplier of the safety data sheet

Manufacturer:

SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia

Tel. +39 0143 631.1

Competent person responsible for the safety data sheet:

regulatory.affairs@sutter.it

1.4. Emergency telephone number

+39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



Warning, Skin Irrit. 2, Causes skin irritation.



Danger, Eye Dam. 1, Causes serious eye damage.



Aguatic Chronic 2, Toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P391 Collect spillage.



P501 Dispose of contents/container in accordance with local regulation.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request.

EUH208 Contains CINEOL. May produce an allergic reaction.

EUH208 Contains COUMARIN. May produce an allergic reaction.

Contains

ISOTRIDECANOL ETHOXYLATED

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE

Product contents:

non-ionic surfactants 15 - 30 % cationic surfactants < 5 %

The product also contains: Perfumes

benzyl alcohol, COUMARIN, D-LIMONENE Allergens:

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 10% - < 12,5% ISOTRIDECANOL ETHOXYLATED

CAS: 69011-36-5

3.3/1 Eye Dam. 1 H318

3.1/4/Oral Acute Tox. 4 H302

>= 3% - < 5% ALKOXYLATED FATTY ALCOHOL

3.3/2 Eye Irrit. 2 H319

>= 3% - < 5% DIPROPYLENE GLYCOL MONOMETHYL ETHER;

(2-METHOXYMETHYLETHOXY) PROPANOL

REACH No.: 01-2119450011-60, CAS: 34590-94-8, EC: 252-104-2

Substance with a Union workplace exposure limit.

>= 1% - < 3% ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE

REACH No.: 01-2119965180-41, CAS: 68391-01-5, EC: 269-919-4

3.2/1B Skin Corr. 1B H314

3.1/4/Oral Acute Tox. 4 H302

4.1/A1 Aquatic Acute 1 H400



4.1/C1 Aquatic Chronic 1 H410

>= 1% - < 3% (1R,2S,5R)-5-METHYL-2-(1-METHYLETHYL)CYCLOHEXANOL REACH No.: 01-2119458866-21, CAS: 2216-51-5, EC: 218-690-9

3.2/2 Skin Irrit. 2 H315

3.3/2 Eye Irrit. 2 H319

>= 0.1% - < 0.25% CINEOL

REACH No.: 01-2119967772-24, CAS: 470-82-6, EC: 207-431-5

2.6/3 Flam. Lig. 3 H226

3.4.2/1B Skin Sens. 1B H317

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eves contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eve.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Skin and eye irritation for contact

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

54318ACLP/4 Page n. 3 of 15



Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water. To converge the product in containment tanks.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Store away from heat sources.

Keep away from food, drink and feed.

Incompatible materials:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability, see also 1.2 and 7.2.

None in particular.



Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

EU - TWA(8h): 308 mg/m3, 50 ppm - Notes: Skin

ACGIH - TWA(8h): 100 ppm - STEL: 150 ppm - Notes: Skin - Eye, URT irr - CNS

Dow IHG - TWA(8h): 10 ppm - STEL: 30 ppm - Notes: Skin

CINEOL - CAS: 470-82-6

ACGIH - TWA(8h): 713 mg/m3 - STEL(15min): 950 mg/m3 - Notes: TLV

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Worker Industry: 283 mg/kg - Consumer: 121 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects
Worker Industry: 308 mg/m3 - Consumer: 37.2 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 36 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Worker Industry: 5.7 mg/kg - Consumer: 3.4 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects - Notes: day

Worker Industry: 3.96 mg/m3 - Consumer: 1.64 mg/m3 - Exposure: Human Inhalation -

Frequency: Long Term, systemic effects

Consumer: 3.4 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: day

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

Target: Marine water - Value: 1.9 mg/l

Target: Fresh Water - Value: 19 mg/l

Target: Microorganisms in sewage treatments - Value: 4168 mg/l

Target: Marine water sediments - Value: 7.02 mg/kg Target: Freshwater sediments - Value: 70.2 mg/kg

Target: Soil (agricultural) - Value: 2.74 mg/kg

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Target: Marine water - Value: 0.00009 mg/l Target: Fresh Water - Value: 0.0009 mg/l

Target: Marine water sediments - Value: 1.22 mg/kg

Target: Soil (agricultural) - Value: 7 mg/kg

Target: Microorganisms in sewage treatments - Value: 0.4 mg/l

Target: Air - Value: 0.00016 mg/l



Target: Fresh Water - Value: 0.0009 mg/l

Target: Freshwater sediments - Value: 12.27 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	
Colour:	blue	Visual	
Odour:	Pine	Olfactory	
	mentholated		
Odour threshold:	Evident	Olfactory	
Melting point/freezing	Not Relevant		Parameter not relevant for the
point:			type of product
Boiling point or initial	>= 100 °C		Estimated value on chemical /
boiling point and boiling			physical properties of
range:			components
Flammability:	non-flammabl		Estimated parameter on
	е		chemical / physical properties of
			components.
Lower and upper explosion	Not Relevant		Parameter not relevant for the
limit:			type of product
Flash point:	> 60 ° C		Estimated value on chemical /
			physical properties of
			components
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the
			type of product
Decomposition	Not Relevant		Parameter not relevant for the
temperature:			type of product



pH:	9,0 +/- 0,5	Instrumental control	
Kinematic viscosity:	Not Relevant		Parameter not relevant. Not viscous mixture.
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient n-octanol/water (log value):	< 1000		Value estimated based on the solubility of the mixture.
Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Density and/or relative density:	1.011 g/ml	Instrumental control	
Relative vapour density:	Not Relevant		Parameter not relevant for the type of product

Particle characteristics:

Particle size (average and	Not Relevant	 Parameter not relevant for the
range)		type of product

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also scetion 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

Avoid direct sunlight and exposure to heat sources.

10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Do not use in combination with other products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:

RATIO RB-3

a) acute toxicity

Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

The product is classified: Skin Irrit. 2 H315



c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

d) respiratory or skin sensitisation

Not classified

Based on available data, the classification criteria are not met e) germ cell mutagenicity

Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity

Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

i) aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Toxicological information of the main substances found in the product:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 555.556 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404

c) serious eye damage/irritation:

Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 9510 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 3.35 mg/l - Duration: 7h

b) skin corrosion/irritation:

Test: Skin Irritant Negative

c) serious eye damage/irritation:

Test: Eye Irritant Negative

d) respiratory or skin sensitisation:

Test: Skin or Resp. Sensitization Negative

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 397.5 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 3412 mg/kg

b) skin corrosion/irritation:

Test: Skin Corrosive Positive

c) serious eye damage/irritation:

Test: Eye Corrosive Positive

(1R,2S,5R)-5-METHYL-2-(1-METHYLETHYL)CYCLOHEXANOL - CAS: 2216-51-5

a) acute toxicity:



Test: LD50 - Route: Oral - Species: Mouse = 3400 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat = 5289 mg/m3

CINEOL - CAS: 470-82-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rabbit = 3200 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 17600 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 390 ppm - Duration: 4h

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

RATIO RB-3

The product is classified: Aquatic Chronic 2 - H411

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 1 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: ÉC10 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l - Duration h: 17

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY) PROPANOL - CAS: 34590-94-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Poecilia reticulata Endpoint: LC50 - Species: Daphnia = 1919 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 969 mg/l - Duration h: 96 - Notes:

Pseudokirchneriella subcapitata

Endpoint: LC50 - Species: Daphnia > 1000 mg/l - Duration h: 96 - Notes: Crangon crangon

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia > 0.5 mg/l - Duration h: 528 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: ÉC10 - Species: Microorganisms / Effect on activated sludge: = 4168 mg/l - Duration h: 18 - Notes: Pseudomonas putida

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.016 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 0.515 mg/l - Duration h: 96 Endpoint: EC50 - Species: Algae = 0.03 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 0.009 mg/l



CINEOL - CAS: 470-82-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 17 mg/l - Duration h: 96 - Notes: Pimephales

promelas

Endpoint: EC50 - Species: Daphnia = 73 mg/l - Duration h: 24 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 320 mg/l - Duration h: 96 - Notes: Scenedesmus

subspicatus

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Biodegradability: Readily biodegradable - Test: CO2 production - Duration: 28 days -

%: >60

Test: OECD 301E - %: 90

ALKOXYLATED FATTY ALCOHOL

Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days -

Notes: >60% BOD del ThOD

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Biodegradability: Readily biodegradable - Duration: 28 days - %: 75 - Notes: OECD

301F

ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE - CAS: 68391-01-5

Biodegradability: Readily biodegradable

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Bioaccumulation: Not bioaccumulative

ALKOXYLATED FATTY ALCOHOL

Bioaccumulation: Not bioaccumulative

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Bioaccumulation: Slightly bioaccumulative - Test: BCF - Bioconcentrantion factor -

Notes: < 100

12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

DIPROPYLENE GLYCOL MONOMETHYL ETHER; (2-METHOXYMETHYLETHOXY)

PROPANOL - CAS: 34590-94-8

Mobility in soil: Mobile

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains.

See also section 6

SECTION 14: Transport information





14.1. UN number or ID number

ADR-UN Number: 3082 IATA-UN Number: 3082 IMDG-UN Number: 3082

14.2. UN proper shipping name

IATA-Shipping Name:

ADR-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE)
IMDG-Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(ALKYLDIMETHYLBENZYLAMMONIUM CHLORIDE)

14.3. Transport hazard class(es)

ADR-Class: 9

ADR - Hazard identification number: 90

IATA-Class: 9
IATA-Label: 9
IMDG-Class: 9

14.4. Packing group

ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III

14.5. Environmental hazards

ADR-Enviromental Pollutant: Yes

IMDG-Marine pollutant: Marine Pollutant IMDG-EmS: F-A , S-F

14.6. Special precautions for user

ADR-Subsidiary hazards: -

ADR-S.P.: 274 335 375 601 ADR-Transport category (Tunnel restriction code): -

IATA-Passenger Aircraft: 964
IATA-Subsidiary hazards: IATA-Cargo Aircraft: 964

IATA-S.P.: A97 A158 A197 A215

IATA-ERG: 9L IMDG-Subsidiary hazards: -

IMDG-Stowage and handling: Category A IMDG-S.P.: 274 335 969

IMDG-Segregation: -

14.7. Maritime transport in bulk according to IMO instruments

Not applicable



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 2020/878

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions:

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: E2

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario -Annex I of this document.

A Chemical Safety Assessment has been carried out for the mixture.

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H226 Flammable liquid and vapour.

Hazard class and	Code	Description
hazard category		
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3



Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

This MSDS cancels and replaces any preceding release.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

the specific use intended.

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EC0/10/20/50/100: Effective concentration, for 0/10/20/50/100 percent of test

population.

EINECS: European Inventory of Existing Commercial Chemical

Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation

Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.





KSt: Explosion coefficient.

LC0/10/20/50/100: Lethal concentration, for 0/10/20/50/100 percent of test

population.

LD0/10/20/50/100: Lethal dose, for 0/10/20/50/100 percent of test population.

NOEC: No Observed Effect Concentration

NOAEL(R)/NOAEC: No Observed Adverse Effect Level(Repeated)/Concentration OECD: Organisation for Economic Co-operation and Development

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous

Goods by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWA: Time-weighted average
WGK: German Water Hazard Class.



ANNEX I

PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario			
Detergent for general cleaning: Manual process			
Use description			
Sector Use	SU22 – Professional use		
Product Category	PC35 – Washing and cleaning products (including		
	solvent based products)		
Description of activities/process considered	on exposure scenario.		
Diluite with water as specified on the label, if ne			
Use following the use instruction as specified or	the label.		
Leave on.			
Rinse, if necessary.			
Frequency and duration			
Use phase	- 1 time a day for daily cleaning detergents		
	- Periodical for specific detergents		
Relevant limit values of ingredients, if available,	are stated in section 8 of the SDS.		
Physical appearence and concentration			
Liquid. To dilute or ready to use.			
In section 2 of the SDS of product and on the la			
	assification and on chemical/physical properties stated in		
section 9 of the SDS of product.			
Use conditions			
Room temperature			
Good general ventilation at workplace is sufficie	nt.		
Protection			
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is		
information on PPE.	supposed.		
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.		
No open flame.	Do not use in combination with other products		
	Wash hand after use.		
In case of accidental release: dilute with water and dry.			
See section 6 of the SDS in case of accidental release			
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene			
practices as specified in section 7 on the SDS.			
Environmental measures			
See section 6 of the SDS in case of accidental release			
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.			
See section 13 of the SDS for disposal considerations.			

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment