

## Safety Data Sheet dated 23/7/2021, version 4

## SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification SF 200 Trade name: UFI: 8TG1-S0QW-600W-5VFP 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Detergent for hard surfaces. Professional use (SU22) - Washing and cleaning products (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) $\odot$ Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements

Hazard pictograms:



Danger Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P280 Wear eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

#### **Special Provisions:**

EUH210 Only for professional use. Safety data sheet available on request.

03713CLP/4 Page n. 1 of14



Contains ISOTRIDECANOL ETHOXYLATED FORMIC ACID Product contents: non-ionic surfactants < 5 % Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards: No other hazards **SECTION 3: Composition/information on ingredients** 3.1. Substances Not Applicable, the product is a mixture. 3.2. Mixtures Hazardous components within the meaning of the CLP regulation and related classification: >= 12.5% - < 15% SULFAMIC ACID REACH No.: 01-2119488633-28, Index number: 016-026-00-0, CAS: 5329-14-6, EC: 226-218-8  $\langle \! \rangle$ 3.3/2 Eye Irrit. 2 H319 3.2/2 Skin Irrit. 2 H315 4.1/C3 Aquatic Chronic 3 H412 >= 3% - < 5% FORMIC ACID REACH No.: 01-2119491174-37, Index number: 607-001-00-0, CAS: 64-18-6, EC: 200-579-1 ۲ 2.6/3 Flam. Liq. 3 H226 3.2/1A Skin Corr. 1A H314 3.1/3/Inhal Acute Tox. 3 H331 3.1/4/Oral Acute Tox. 4 H302 **Specific Concentration Limits:** 2% <= C < 10%: Skin Irrit. 2 H315 2% <= C < 10%: Eye Irrit. 2 H319 10% <= C < 90%: Skin Corr. 1B H314 C >= 90%: Skin Corr. 1A H314 >= 1% - < 3% ISOTRIDECANOL ETHOXYLATED CAS: 69011-36-5 🔶 3.3/1 Eye Dam. 1 H318



3.1/4/Oral Acute Tox. 4 H302

### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Severe skin and eye irritation for contact.

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation

1272/2008 (CLP).

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures For non emergency personnel:

Wear personal protection equipment.

03713CLP/4 Page n. 3 of14



Remove persons to safety. See protective measures under point 7 and 8. For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

- Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Store away from sunlight.

Store in a cool and well ventilated place.

Do not store in open or unlabeled containers.

Store away from heat sources.

Keep away from food, drink and feed.

Incompatible materials:

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

- FORMIC ACID CAS: 64-18-6
  - EU TWA(8h): 9 mg/m3, 5 ppm

ACGIH - TWA(8h): 5 ppm - STEL: 10 ppm - Notes: URT, eye, and skin irr

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

03713CLP/4 Page n. 4 of14



Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

SULFAMIC ACID - CAS: 5329-14-6

Worker Industry: 7.5 mg/m3 - Consumer: 1.85 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1.06 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 10 mg/kg - Consumer: 5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

FORMIC ACID - CAS: 64-18-6

Worker Industry: 9.5 mg/m3 - Consumer: 3 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 19 - Consumer: 9.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, systemic effects

mg/m3

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

SULFAMIC ACID - CAS: 5329-14-6

Target: Microorganisms in sewage treatments - Value: 2 mg/l

Target: Fresh Water - Value: 0.048 mg/l

Target: Marine water - Value: 0.0048 mg/l

Target: Marine water sediments - Value: 0.0173 mg/kg

Target: Air - Value: 0.3 mg/l

Target: Freshwater sediments - Value: 0.173 mg/kg

FORMIC ACID - CAS: 64-18-6

Target: Marine water - Value: 0.2 mg/l

Target: Fresh Water - Value: 2 mg/l

Target: Marine water sediments - Value: 1.34 mg/kg

Target: Freshwater sediments - Value: 13.4 mg/kg

Target: Microorganisms in sewage treatments - Value: 7.2 mg/l

Target: Soil (agricultural) - Value: 1.5 mg/kg

8.2. Exposure controls

### Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

03713CLP/4 Page n. 5 of14



See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Physical state:	Liquid	Visual	
Colour:	colourless	Visual	
Odour:	Technical	Olfactory	Absence of fragrances
Odour threshold:	Evident	Olfactory	
Melting point/freezing	Not Relevant		Parameter not relevant for the
point:			type of product
Boiling point or initial	>= 100 °C		Estimated value on chemical /
boiling point and boiling			physical properties of
range:			components
Flammability:	non-flammabl		Estimated parameter on
	е		chemical / physical properties of
			components.
Lower and upper explosion	Not Relevant		Parameter not relevant for the
limit:			type of product
Flash point:	> 60 ° C		Estimated value on chemical /
			physical properties of
			components
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the
			type of product
Decomposition	Not Relevant		Parameter not relevant for the
temperature:			type of product
pH:	< 1,0		Estimated value on chemical /
			physical properties of
			components
Kinematic viscosity:	Not Relevant		Parameter not relevant. Not
			viscous mixture.
Solubility in water:	Total		Internal tests
Solubility in oil:	Partial		Internal tests
Partition coefficient	< 1000		Value estimated based on the
n-octanol/water (log value):			solubility of the mixture.
Vapour pressure:	Not Relevant		Parameter not relevant for the
			type of product
Density and/or relative	1.105 g/ml	Instrumental	
density:		control	
Relative vapour density:	Not Relevant		Parameter not relevant for the
			type of product
	Particle cha	racteristics:	
Particle size (average and	Particle cha Not Relevant		Parameter not relevant for the

9.2. Other information

No other relevant information

SECTION 10: Stability and reactivity 10.1. Reactivity



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

- Do not use in combination with other products.
- 10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

In normal conditions no dangerous reactions of the mixture

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

Avoid direct sunlight and exposure to heat sources.

10.5. Incompatible materials

Alkalines, Chlorine based oxidising, flammable, combustible.

Store in area dedicated to acid products, keep away from alkalys and chlorine based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. Do not use in combination with other products.

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: SF 200 a) acute toxicity Not classified Based on available data, the classification criteria are not met b) skin corrosion/irritation The product is classified: Skin Corr. 1A H314 c) serious eye damage/irritation The product is classified: Eye Dam. 1 H318 d) respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met e) germ cell mutagenicity Not classified Based on available data, the classification criteria are not met f) carcinogenicity Not classified Based on available data, the classification criteria are not met a) reproductive toxicity Not classified Based on available data, the classification criteria are not met h) STOT-single exposure Not classified Based on available data, the classification criteria are not met i) STOT-repeated exposure Not classified

03713CLP/4 Page n. 7 of14



Based on available data, the classification criteria are not met i) aspiration hazard Not classified Based on available data, the classification criteria are not met Toxicological information of the main substances found in the product: Below are reported, if available, the toxicological information of the components listed in paragraph 3.2. SULFAMIC ACID - CAS: 5329-14-6 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 200 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg b) skin corrosion/irritation: Test: Skin Irritant Positive c) serious eye damage/irritation: Test: Eye Irritant Positive FORMIC ACID - CAS: 64-18-6 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 730 mg/kg Test: LC50 - Route: Inhalation - Species: Rat = 7.85 mg/l - Duration: 4h b) skin corrosion/irritation: Test: Skin Corrosive - Route: Skin - Species: Rabbit Positive c) serious eye damage/irritation: Test: Eye Corrosive Positive d) respiratory or skin sensitisation: Test: Skin Sensitization Negative e) germ cell mutagenicity: **Test: Mutagenesis Negative** i) aspiration hazard: Test: Aspiration hazard Positive ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 555.556 mg/kg Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402 b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eve damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405

11.2. Information on other hazards
 Endocrine disrupting properties:
 No endocrine disruptor substances present in concentration >= 0.1%

### **SECTION 12: Ecological information**

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

- SF 200
  - Not classified for environmental hazards

Based on available data, the classification criteria are not met

- SULFAMIC ACID CAS: 5329-14-6
  - a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 14.2 mg/l - Duration h: 96 - Notes: Pimephales promelas

03713CLP/4 Page n. 8 of14



Endpoint: EC50 - Species: Daphnia = 71.6 mg/l - Duration h: 48 - Notes: Daphnia Magna Endpoint: EC50 - Species: Algae = 48 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus c) Bacteria toxicity: Endpoint: EC50 - Species: Microorganisms / Effect on activated sludge: > 200 mg/l -Duration h: 3 FORMIC ACID - CAS: 64-18-6 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 130 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia = 32.19 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae = 1240 mg/l - Duration h: 72 - Notes: Selenastrum capricornutum b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia > 100 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: = 72 mg/l -Duration h: 312 ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Cyprinus carpio Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 1 mg/l - Duration h: 72 - Notes: Desmodesmus subspicatus b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Daphnia > 1 mg/l - Duration h: 504 - Notes: Daphnia magna c) Bacteria toxicity: Endpoint: EC10 - Species: Microorganisms / Effect on activated sludge: > 10000 mg/l -Duration h: 17 12.2. Persistence and degradability Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2. SULFAMIC ACID - CAS: 5329-14-6 Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: 97 FORMIC ACID - CAS: 64-18-6 Biodegradability: Readily biodegradable - Duration: 28 days - %: 100 ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5 Biodegradability: Readily biodegradable - Test: CO2 production - Duration: 28 days -%: >60 Test: OECD 301E - %: 90 The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer. 12.3. Bioaccumulative potential Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ISOTRIDECANOL ETHOXYLATED - CAS: 69011-36-5

Bioaccumulation: Not bioaccumulative

12.4. Mobility in soil

03713CLP/4 Page n. 9 of14



Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

- Not applicable
- 12.5. Results of PBT and vPvB assessment
  - vPvB Substances: None PBT Substances: None
- 12.6. Endocrine disrupting properties
  - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6

### **SECTION 14: Transport information**



14.1. UN number or ID number	
ADR-UN Number:	1760
IATA-UN Number:	1760
IMDG-UN Number:	1760
14.2. UN proper shipping name	
ADR-Shipping Name:	CORROSIVE LIQUID, N.O.S.(FORMIC ACID, ISOTRIDECANOL ETHOXYLATED)
IATA-Shipping Name:	CORROSIVE LIQUID, N.O.S. (FORMIC ACID, ISOTRIDECANOL ETHOXYLATED)
IMDG-Shipping Name:	CORROSIVE LIQUID, N.O.S.(FORMIC ACID,
	ISOTRIDECANOL ETHOXYLATED)
14.3. Transport hazard class(es)	
ADR-Class:	8
ADR - Hazard identification nur	
IATA-Class:	8
IATA-Label:	8
IMDG-Class:	8
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	No
IMDG-EmS:	F-A , S-B
14.6. Special precautions for user	
ADR-Subsidiary hazards:	-
ADR-S.P.:	274



ADR-Transport category (Tunnel restriction code): E IATA-Passenger Aircraft: 852 IATA-Subsidiary hazards: IATA-Cargo Aircraft: 856 IATA-S.P.: A3 A803 IATA-ERG: 8L IMDG-Subsidiary hazards: IMDG-S.P.: 223 274 IMDG-Stowage and handling: Category A SW2 **IMDG-Segregation:** 

14.7. Maritime transport in bulk according to IMO instruments Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario -Annex I of this document. A Chemical Safety Assessment has been carried out for the mixture. No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out: None



## **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

- H319 Causes serious eye irritation.
- H315 Causes skin irritation.
- H412 Harmful to aquatic life with long lasting effects.
- H226 Flammable liquid and vapour.
- H314 Causes severe skin burns and eye damage.
- H331 Toxic if inhaled.
- H302 Harmful if swallowed.

H318 Causes serious eye damage.

Hazard class and	Code	Description
hazard category		
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 3	3.1/3/Inhal	Acute toxicity (inhalation), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1A, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/100:	Effective concentration, for 0/10/20/50/100 percent of test population.

03713CLP/4 Page n. 12 of14



EINECS:	European Inventory of Existing Commercial Chemical
	Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Áviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation
	Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC0/10/20/50/100:	Lethal concentration, for 0/10/20/50/100 percent of test
	population.
LD0/10/20/50/100:	Lethal dose, for 0/10/20/50/100 percent of test population.
NOEC:	No Observed Effect Concentration
NOAEL(R)/NOAEC:	No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous
	Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



ANNEX I

## PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario Detergent for general cleaning: Manual process	
Use description	
Sector Use	SU22 – Professional use
Product Category	PC35 – Washing and cleaning products (including solvent based products)
Description of activities/process considered	
Diluite with water as specified on the label, if ne	
Use following the use instruction as specified or	n the label.
Leave on.	
Rinse, if necessary.	
Frequency and duration	
Use phase	<ul> <li>1 time a day for daily cleaning detergents</li> <li>Periodical for specific detergents</li> </ul>
Relevant limit values of ingredients, if available,	are stated in section 8 of the SDS.
Physical appearence and concentration	
Liquid. To dilute or ready to use.	
In section 2 of the SDS of product and on the la	
	assification and on chemical/physical properties stated in
section 9 of the SDS of product.	
Use conditions	
Room temperature	
Good general ventilation at workplace is sufficie	ent.
Protection	
See section 8 of the SDS of product to more information on PPE.	Training of worker to use and maintenance of PPE is supposed.
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.
No open flame.	Do not use in combination with other products
Wash hand after use.	
In case of accidental release: dilute with water a	
See section 6 of the SDS in case of accidental r	
	or on technical sheet. Use good occupational hygiene
practices as specified in section 7 on the SDS.	
Environmental measures	
See section 6 of the SDS in case of accidental r	
	nformation of mixture and dangerous ingredients.
See section 13 of the SDS for disposal consider	rations

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment