

Safety Data Sheet dated 8/9/2016, version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

 Mixture identification
 Trade name:
 TERSO

 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

 Detergent for hard surfaces.

Professional use (SU22) - Products for washing and cleaning (PC35)

Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio

15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Warning, Eye Irrit. 2, Causes serious eye irritation.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Hazard pictograms:



Warning Hazard statements: H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P264 Wash hands thoroughly after handling. P280 Wear eye protection. P337+P313 If eye irritation persists: Get medical advice/attention. Special Provisions: EUH210 Only for professional use. Safety data sheet available on request. Contents

51563CLP/2 Page n. 1 of14



D-LIMONENE: May produce an allergic reaction. METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE: May produce an allergic reaction.

Product contents: soap, anionic surfactants, amphoteric surfactants, non-ionic < 5 % surfactants The product also contains: Perfumes Allergens: **D-LIMONENE** Preservatives: METHYLCHLOROISOTHIAZOLINONE, METHYLISOTHIAZOLINONE Special provisions according to Annex XVII of REACH and subsequent amendments: None 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
- Not Applicable, the product is a mixture.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 3% - < 5% ALCOXYLATED FATTY ALCOHOL

- REACH No.: 02-2119552554-37, CAS: 111905-53-4
- 3.3/2 Eye Irrit. 2 H319
- 3.1/4/Oral Acute Tox. 4 H302
- 4.1/C3 Aquatic Chronic 3 H412

>= 1% - < 3% ALKYL ETHER SULFATE C12-14, SODIUM SALT

REACH No.: 01-2119488639-16, CAS: 68891-38-3, EC: 500-234-8 () 3.2/2 Skin Irrit. 2 H315

4.1/C3 Aquatic Chronic 3 H412 3.3/1 Eye Dam. 1 H318

>= 1% - < 3% SODIUM CARBONATE

REACH No.: 01-2119485498-19, Index number: 011-005-00-2, CAS: 497-19-8, EC: 207-838-8 (1) 3.3/2 Eye Irrit. 2 H319

>= 1% - < 3% POTASSIUM COCOATE

- CAS: 61789-30-8, EC: 263-049-9
- 3.3/2 Eye Irrit. 2 H319



>= 0.25% - < 0.5% C12-14 ALKYLDIMETHYLAMINES, N-OXIDES

51563CLP/2 Page n. 2 of14



REACH No.: 01-2119490061-47, CAS: 308062-28-4, EC: 931-292-6 3.1/4/Oral Acute Tox. 4 H302

- 3.2/2 Skin Irrit. 2 H315
- 3.3/1 Eye Dam. 1 H318
- 4.1/A1 Aquatic Acute 1 H400 M=1.
- 4.1/C2 Aquatic Chronic 2 H411 M=1.

>= 0.25% - < 0.5% D-LIMONENE

Index number: 601-029-00-7, CAS: 5989-27-5, EC: 227-813-5

- •
- 4.1/A1 Aquatic Acute 1 H400
- 4.1/C1 Aquatic Chronic 1 H410
- 3.4.2/1B Skin Sens. 1B H317
- (1) 3.2/2 Skin Irrit. 2 H315
- 🚯 3.10/1 Asp. Tox. 1 H304

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Acute effects:

Skin and eye irritation for contact

Irritation interior system if swallowed.

Until revison date of this document, are unknown chronic effects from the mixture contact with skin, eyes, inhalation, ingestion.

4.3. Indication of any immediate medical attention and special treatment needed

51563CLP/2 Page n. 3 of14



In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).
 - Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture

The product does not contain ingredients classified as explosive according to Regulation 1272/2008/EC (CLP).

Do not inhale explosion and combustion gases.

- Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely. The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - Wear personal protection equipment. Remove all sources of ignition.
 - Remove all sources of ignition Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
 - Avoid contact with skin and eyes, inhalation of vapours and mists.
 - Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities Store away from sunlight.

51563CLP/2 Page n. 4 of14



Store in a cool and well ventilated place. Do not store in open or unlabeled containers. Keep away from food, drink and feed. Incompatible materials: See section 10. Instructions as regards storage premises: Adequately ventilated premises.

7.3. Specific end use(s) None in particular, see paragraph 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. Below, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

SODIUM CARBONATE - CAS: 497-19-8

ACGIH - LTE: 10 mg/m3

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2. ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Worker Industry: 2750 mg/kg - Consumer: 1650 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 175 mg/m3 - Consumer: 52 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

SODIUM CARBONATE - CAS: 497-19-8

Worker Industry: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Worker Industry: 11 mg/kg - Consumer: 5.5 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 15.5 mg/m3 - Consumer: 3.8 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.44 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Worker Industry: 0.27 % - Consumer: 0.27 % - Exposure: Human Dermal - Frequency: Long Term, local effects - Notes: in mixture (by weight)

PNEC Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture.

Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

Target: Marine water - Value: 0.024 mg/l

Target: Microorganisms in sewage treatments - Value: 10000 mg/l

Target: Marine water sediments - Value: 0.09168 mg/kg

Target: Soil (agricultural) - Value: 7.5 mg/kg

Target: Freshwater sediments - Value: 0.9168 mg/kg

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Target: Marine water - Value: 0.00335 mg/l

Target: Marine water sediments - Value: 0.524 mg/kg

Target: Soil (agricultural) - Value: 1.02 mg/kg

Target: Microorganisms in sewage treatments - Value: 24 mg/kg

51563CLP/2 Page n. 5 of14



Target: Food chain - Value: 11.1 mg/kg

8.2. Exposure controls

- Eye protection:
 - Use close fitting safety goggles, don't use eye lens.(EN 166)
- Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Clear liquid, fluorescent yellow	Visual	
Odour:	Citrus	Olfactory	
Odour threshold:	Evident	Olfactory	
pH:	< 11,4	Instrumental control	
Melting point / freezing point:	Not Relevant		Parameter not relevant for the type of product
Initial boiling point and boiling range:	>= 100 °C		Estimated value on chemical / physical properties of components
Flash point:	> 65 ° C		Estimated value on chemical / physical properties of components
Evaporation rate:	Not Relevant		Parameter not relevant for the type of product
Solid/gas flammability:	Not Relevant		Parameter not relevant for the type of product
Upper/lower flammability or explosive limits:	Not Relevant		Parameter not relevant for the type of product



Vapour pressure:	Not Relevant		Parameter not relevant for the type of product
Vapour density:	Not Relevant		Parameter not relevant for the type of product
Relative density:	1.032 g/ml	Instrumental control	
Solubility in water:	Total		internal tests
Solubility in oil:	Partial		internal tests
Partition coefficient (n-octanol/water):	< 1000		Value estimated based on the solubility of the mixture.
Auto-ignition temperature:	Not Relevant		Parameter not relevant for the type of product
Decomposition temperature:	Not Relevant		Parameter not relevant for the type of product
Viscosity:	< 10 cP		Estimated indicative value. Not viscous mixture.
Explosive properties:	Not Relevant		Parameter not relevant for product composition.
Oxidizing properties:	Not Relevant		Parameter not relevant for product composition.

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		Parameter not relevant for the type of product
Fat Solubility:	Not Relevant		Parameter not relevant for the type of product
Conductivity:	Not Relevant		Parameter not relevant for the type of product
Substance Groups relevant properties	Not Relevant		Parameter not relevant for the type of product

SECTION 10: Stability and reactivity

10.1. Reactivity

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

10.4. Conditions to avoid Different uses than recommended. Do not use in combinat

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

10.5. Incompatible materials

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.

10.6. Hazardous decomposition products

51563CLP/2 Page n. 7 of14



Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

Until the revision date of this document, are not available experimental toxicological data on the mixture.

For the classification of the mixture see section 2.1.

Not applicable

Toxicological information of the main substances found in the mixture:

Below are reported, if available, the toxicological information of the components listed in paragraph 3.2.

 ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg
b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Yes - Source: OECD 404 - Notes: slightly irritating
c) serious eye damage/irritation:
Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3
a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg - Source: OECD 402 Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD 401
b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Source: OECD 404 c) serious eye damage/irritation:
Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405
d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative - Source: OECD 406
e) germ cell mutagenicity:
Test: Mutagenesis Negative - Source: Ames Test
SODIUM CARBONATE - CAS: 497-19-8
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 2800 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat = 2.3 mg/l - Duration: 2h
Test: LC50 - Route: Inhalation - Species: Mouse = 1.2 mg/l - Duration: 2h
b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Negative c) serious eye damage/irritation:
Test: Eye Irritant - Species: Rabbit Positive
e) germ cell mutagenicity:
Test: Mutagenesis Negative
g) reproductive toxicity:
Test: NOAEC - Route: Oral = 179 mg/kg
C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat = 1064 mg/kg
b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Positive
c) serious eye damage/irritation:
Test: Eye Corrosive - Species: Rabbit Positive

51563CLP/2 Page n. 8 of14



d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative Test: NOAEL - Route: Oral - Species: Rat = 88 mg/kg - Source: OECD 408
D-LIMONENE - CAS: 5989-27-5
a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 4400 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as Not Applicable:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. The environmental hazard of the product are reported in Section 2.1 if applicable. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 - Notes: Leuciscus Idus Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 48 - Notes: Daphnia mag

b) Aquatic chronic toxicity:
 Endpoint: NOEC - Species: Daphnia > 0.1 mg/l - Duration h: 504 - Notes: Daphnia magna

c) Bacteria toxicity:

Endpoint: ÉC10 - Species: Microorganisms / Effect on activated sludge: > 1000 mg/l - Notes: DEV-L2

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10 mg/l - Notes: Leuciscus idus

Endpoint: EC50 - Species: Daphnia > 10 mg/l - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae > 100 mg/l - Notes: Scenedesmus subspicatus b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 1 mg/l - Notes: Leuciscus idus

Endpoint: NOEC - Species: Daphnia > 0.1 mg/l - Notes: Daphnia magna c) Bacteria toxicity:

Endpoint: EC0 - Species: Microorganisms / Effect on activated sludge: > 100 mg/l - Notes: Pseudomonas putida

- SODIUM CARBONATE CAS: 497-19-8
- a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus



Endpoint: EC50 - Species: Daphnia = 200 mg/l - Duration h: 48 - Notes: Ceriodaphnia dubia C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 2.67 mg/l - Duration h: 96 - Notes: Pimelphales promelas

Endpoint: EC50 - Species: Daphnia = 3.1 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 0.143 mg/l - Duration h: 72

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae = 0.067 mg/l

D-LIMONENE - CAS: 5989-27-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.8 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia = 69.6 mg/l - Duration h: 48

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4

Biodegradability: Readily biodegradable - Test: OECD 301F - Duration: 28 days - %: >60%

ALKYL ETHER SULFATE C12-14, SODIUM SALT - CAS: 68891-38-3 Biodegradability: Readily biodegradable -

C12-14 ALKYLDIMETHYLAMÍNES, N-OXIDES - CAS: 308062-28-4

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: 90 - Notes: Not applicable

Biodegradability: Dissolved organic carbon - 123 mg/g

Biodegradability: Biochemical oxigen demand - 360 mg/g

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

ALCOXYLATED FATTY ALCOHOL - CAS: 111905-53-4

Bioaccumulation: Not bioaccumulative

C12-14 ALKYLDIMETHYLAMINES, N-OXIDES - CAS: 308062-28-4

Bioaccumulation: Slightly bioaccumulative - Test: Log Pow - Partition coefficient < 4 12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

Not applicable

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name Not applicable
- 14.3. Transport hazard class(es) Not applicable
- 14.4. Packing group Not applicable
- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III):

Not applicable

15.2. Chemical safety assessment

No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario - Annex I of this document.

SECTION 16: Other information



Full text of phrases referred to in Section 3:

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H226 Flammable liquid and vapour.

H410 Very toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

Paragraphs modified from the previous revision:

SECTION 1: Identification of the substance/mixture and of the company/undertaking SECTION 2: Hazards identification SECTION 3: Composition/information on ingredients SECTION 4: First aid measures SECTION 5: Firefighting measures SECTION 5: Accidental release measures SECTION 6: Accidental release measures SECTION 7: Handling and storage SECTION 8: Exposure controls/personal protection SECTION 8: Exposure controls/personal protection SECTION 9: Physical and chemical properties SECTION 10: Stability and reactivity SECTION 11: Toxicological information SECTION 12: Ecological information SECTION 14: Transport information SECTION 15: Regulatory information

The classification of the product is based on conventional calculation method.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EC0/10/20/50/	Effective concentration, for 0/10/20/50/100 percent of test population.
100:	
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.



IATA: IATA-DGR:	International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO: ICAO-TI:	International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI: KSt:	International Nomenclature of Cosmetic Ingredients. Explosion coefficient.
LC0/10/20/50/ 100:	•
LD0/10/20/50/ 100:	Lethal dose, for 0/10/20/50/100 percent of test population.
LTE:	Long-term exposure.
NOEC:	No Observed Effect Concentration
NOAEL(R)/N OAEC:	No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.



ANNEX I

PROFESSIONAL PRODUCT – DETERGENT FOR HARD SURFACES

Title of exposure scenario		
Detergent for general cleaning: Manual process.		
Use description		
Sector Use		
	SU22 – Professional use	
Product Category	PC35 – Cleaning and washing product (including solvent based	
Description of activities/process considered on exposure	products)	
	e scenario.	
Diluite with water as specified on the label, if necessary.		
Use following the use instruction as specified on the label. Leave on.		
Rinse, if necessary.		
Frequency and duration	A floor of the definition for definition of the second	
Use phase	 1 time a day for daily cleaning detergents Periodical for specific detergents 	
Relevant limit values of ingredients, if available, are stated in		
Physical appearence and concentration		
Liquid. To dilute or ready to use.		
In section 2 of the SDS of product and on the label the classif	liantian of mixture is provided	
product.	d on chemical/physical properties stated in section 9 of the SDS of	
Use conditions		
Room temperature		
Good general ventilation at workplace is sufficient.		
Protection		
See section 8 of the SDS of product to more information on	Training of worker to use and maintenance of PPE is supposed.	
PPE.		
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.	
No open flame.	Do not use in combination with other products	
Wash hand after use.		
In case of accidental release: dilute with water and dry.		
See section 6 of the SDS in case of accidental release		
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as specified in section		
7 on the SDS.		
Environmental measures		
See section 6 of the SDS in case of accidental release		
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.		
See section 13 of the SDS for disposal considerations.		

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment