

EXTREME STRIPP



SUPER CONCENTRATED WAX STRIPPER

- Ideal in more extreme conditions
- Works on all finishes
- Ideal in an overcoating situation

Concentrated wax stripper for removing old layers of metal cross-linked acrylic wax. Ideal for extreme conditions and effective also at low concentrations.

HOW TO USE

Dilute the product in the single disc machine tank to the recommended concentration. Apply the solution directly to the floor using the single disc machine and use the green or black abrasive disc (depending on the floor). Carefully wet vacuum and leave to dry. Remove any streaks or water marks with a damp mop and if necessary and for wax layering, rinse using a single disc machine.



DILUTION

With single disc machine: 5% - 10% (500 ml to 1 L in 10 L of water) Manually: 10% - 20% (1 L - 2 L every 10 L of water).

TECHNICAL DATA

ASPECT: Clear liquid

COLOR: Yellow

PERFUME: Pine

COV: 0,15%

PH	Active substance [%]	Density (g/ml)	Pressure (bar)	Viscosity (cP)	Total dry residue [%]
> 13,0	35 ± 2	1.05			

EXTREME STRIPP**⚠ WARNINGS**

Causes severe skin burns and eye damage. May cause respiratory irritation. Avoid breathing vapours. Wear eye protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Contains 2-AMINOETHANOL, SODIUM METASILICATE PENTAHYDRATE, ISOTRIDECANOL ETHOXYLATED, SODIUM HYDROXIDE.



WARNING



DANGER

📄 NOTES

Do not use on linoleum. Before use, please always refer to the Technical Data Sheet and the Safety Data Sheet, with the exposure scenario, of the product. Use the PPE specified in the Safety Data Sheet. Sutter Professional cannot be considered liable for any damage due to an improper product use. **Only for professional use. Safety data sheet available on request.**

📦 PACKAGING

Code	Size	Quantity	Pallet
4304	Kg 5	4	9x4=36